

ANTENNAS CABLE
AMPERS FILTERS
HARDWARE HDMI
COAXIAL
ELECTRONIC
BOX
FILTERS
EVOLUTION
STORAGE

The logo consists of the letters 'B', 'T', and 'X' in a bold, stylized font. The letters are filled with black and have a white outline. The 'B' and 'X' have a blue gradient fill on their right and bottom edges, respectively. The 'T' is solid black with a white outline.

ביטק יטק לטא

SHORT FORM - ISSUE 1 | 2022

About Us


Bitek is an Australian owned and operated family business formed in 1998 to provide a comprehensive range of quality products across all aspects of communications installations. Our total commitment to quality and service means that we are now one of the leading suppliers to the broadband, cable, satellite, pay TV, free-to-air, CCTV, security, data and electrical industries. Through our partnership with world-leading suppliers, we provide a full range of products and services to connect, entertain and secure everyday people the world over.

We are dedicated to providing our customers with a comprehensive range of specialised products at the most competitive prices. Our commitment to quality and innovation in emerging technologies ensures our customers have access to the finest products available in the television, satellite, security, data and electronics industries.

In this catalogue you will find a high-quality selection of products from our family of companies including Digitek, Hills Antenna, StorageTek, DataTek and ProquipDigital, as well as our partners such as Kingray, Sanus, Energizer and Rover.

Bitek acquired the Hills Antenna division from Hills Industries in December 2019. Hills is an iconic brand and recognised for its quality Australian Made products. The products are still made in the HillsATV Antenna factory in Lonsdale, South Australia and feature the official Australian Made and Owned Logo, and as of April 2022 also carry Lifetime Warranty.

Find Us



Bitek PTY LTD

(Head Office)

Address:


11 Sheppard Street
Hume, ACT, 2620

Phone:

(02) 6260 1874

Email:

sales@bitek.com.au



Bitek NSW PTY LTD

Address:


7/463 Victoria Street
Wetherill Park
NSW, 2164

Phone:

(02) 9659 2272

Email:

sydsales@bitek.com.au



Bitek VIC PTY LTD

Address:


22 Constance Court
Epping, VIC, 3076

Phone:

(03) 9456 9222

Email:

melbsales@bitek.com.au



Bitek SA PTY LTD

Address:

1 Temple Court
Ottoway, SA, 5013

Phone:

(08) 8395 4111

Email:

adelsales@bitek.com.au

NATIONAL CALL CENTRE: 1300 601 915

Table of Contents

PRODUCT CATEGORIES BY PAGE NUMBER

4 **Antennas**
UHF/VHF/Combo

14 **Splitters**
FTA/Satellite

25 **Meters**
Signal Meters/Testers

6 **Coax Cable**
RG59/RG6/RG11/etc

15 **Couplers**
Taps/Couplers/etc

26 **Satellite**
Dishes/LNBF/etc

7 **SDS Cable**
Speaker/Data/Security

16 **Connectors**
Crimp/Compression

27 **LCD Brackets**
TV/Speaker/etc

8 **Amplifiers**
Amplifiers/PSU/etc

17 **Adaptors**
F/Pal/RCA/etc

29 **Data Cabinets**
Cabinets/Accessories

9 **Wallplates**
F/Pal/Bullnose/etc

18 **Masting**
Mast/Mounts/etc

31 **Meter Boxes**
Boxes/Accessories

10 **Inserts**
F/Pal/HDMI/USB/etc

20 **Hardware**
Mounts/Accessories

32 **Security**
Brands Available

11 **Patch Leads**
TV/CAT6/HDMI/AV/etc

22 **Consumables**
Silicone/Tape/etc

33 **Energizer**
Torches/Batteries

12 **Mixed Product**
Diplexer/Attenuator/etc

23 **Tools**
Stripper/Crimper/etc

34 **Storage Solutions**

13 **Power Boards**
Boards/Leads/etc

24 **AV Equipment**
Splitter/Converter/etc

36 **Index**
Product Index

CATEGORY 01 - ANTENNAS

VHF Log Periodic 01DLPF3



- * VHF Channels 6 - 12
- * 12 Elements
- * 11.5dBi Max Gain
- * 655 x 850 x 70mm (LxWxH)

LTE Series VHF YAGI 01DV304L




- * VHF Channels 6 - 12
- * 4 Elements
- * >7dBi Max Gain
- * 745 x 835 x 125mm (LxWxH)

LTE Series VHF YAGI 01DV307L



- * VHF Channels 6 - 12
- * 7 Elements
- * >11dBi Max Gain
- * 1095 x 900 x 600mm (LxWxH)

LTE Series VHF YAGI 01DV310L



- * VHF Channels 6 - 12
- * 10 Elements
- * >15dBi Max Gain
- * 2035 x 900 x 600mm (LxWxH)

DY-6 VHF YAGI FB608007A



- * VHF Channels 6 - 12
- * 6 Elements
- * 8dBi Max Gain
- * 1200 x 835 x 100mm (LxWxH)

DY-10 VHF YAGI FB608008A



- * VHF Channels 6 - 12
- * 10 Elements
- * 11dBi Max Gain
- * 2060 x 835 x 500mm (LxWxH)

Tru-Band VHF Black Arrow FB608025-4G



- * VHF Channels 6 - 12
- * 14 Elements
- * 9dBi Max Gain
- * 820 x 850 x 85mm (LxWxH)




Tru-Band VHF Silver Bullet FB608026-4G



- * VHF Channels 6 - 12
- * 10 Elements
- * 8dBi Max Gain
- * 680 x 825 x 85mm (LxWxH)



UHF Log Periodic 01ACLP4/5



- * UHF Channels 21 - 69
- * 28 Elements
- * 14.5dBi Max Gain
- * 960 x 360 x 60mm (LxWxH)

LTE Series UHF YAGI 01BUWX16L



- * UHF Channels 28 - 51
- * 16 Element
- * 15dBi Max Gain
- * 800 x 340 x 340mm (LxWxH)

LTE Series UHF YAGI 01BUWX18L



- * UHF Channels 28 - 51
- * 18 Element
- * 15.5dBi Max Gain
- * 1160 x 290 x 330mm (LxWxH)

LTE Series UHF Phased Array 01CUPA2LPOLY



- * UHF Channels 28 - 51
- * 36 Element
- * 14.5dBi Max Gain
- * 783 x 600 x 210mm (LxWxH)

CATEGORY 01 - ANTENNAS

Tru-Spec TSF2839 YAGI FB608575



- * UHF Channels 28 - 39
- * 14 Elements
- * 14dBi Max Gain
- * 1450x290x255mm (LxWxH)

Tru-Spec TSP2851 YAGI FB608580



- * UHF Channels 28 - 51
- * 13 Elements
- * 14dBi Max Gain
- * 1200x290x255mm (LxWxH)

Tru-Spec TSF2851 YAGI FB608581



- * UHF Channels 28 - 51
- * 17 Elements
- * 16dBi Max Gain
- * 1800 x 290 x 255mm (LxWxH)

Tru-Spec TSP2851 YAGI FB608600



- * UHF Channels 28 - 51
- * 13 Elements
- * 14dBi Max Gain
- * 1200x290x255mm (LxWxH)

Tru-Max 36 UHF Phased Array FB608601-4G



- * UHF Channels 28 - 51
- * 36 Elements
- * 14dBi Max Gain
- * Smaller Tru-Max 18 Also Available

Tru-Spec TSP2851 YAGI FB608605-4G



- * UHF Channels 28 - 51
- * 13 Elements
- * 14dBi Max Gain
- * 1200x290x255mm (LxWxH)

QPA36v2 UHF Phased Array G11892



- * UHF Channels 28 - 51
- * 36 Elements
- * 14.5dBi Max Gain * Colour Gift Box
- * Smaller QPA18v2 Also Available

LTE Series UHF/VHF YAGI 01ACD12L




- * VHF 6 - 12, UHF 28 - 35
- * 8 Elements
- * 11dBi Max Gain
- * 1060 x 710 x 80mm (LxWxH)

LTE Series UHF/VHF YAGI 01ACD14L



- * VHF 6 - 12, UHF 28 - 51
- * 14 Elements
- * 12.5dBi Max Gain
- * 1240 x 1318 x 340mm (LxWxH)

UHF/VHF Log Periodic 01ACL34F/POLY



- * VHF 6 - 12, UHF 28 - 35
- * 28 Element
- * 12.5dBi Max Gain
- * 1100 x 865 x 70mm (LxWxH)

Tru-Band UHF/VHF Silver Bullet FB608578-4G



- * VHF 6 - 12, UHF 28 - 38
- * 18 Element
- * 9dBi Max Gain
- * 1080 x 830 x 85mm (LxWxH)

Tru-Band UHF/VHF Black Arrow FB608582-4G



- * VHF 6 - 12, UHF 28 - 38
- * 22 Element
- * 10dBi Max Gain
- * 1245 x 865 x 85mm (LxWxH)

CATEGORY 02 - COAX CABLE

RG59 UB Coax Cable 02ADRG59UBB3



- * RG 59 UB Coax Cable
- * Unbonded Aluminium Foil
- * 60% Aluminium Braid
- * 305 Metre Box

RG6 Quad Shield White 02BDRG6QRW (QWR1)



- * RG6 Quad Shield Coax Cable
- * Free To Air TV Ready
- * 305 Metre Reel
- * 100 Metre Reel Also Available (QWR1)

Economy RG6 Quad Shield 02BDRG6QBE



- * RG6 Quad Shield Coax Cable
- * Free To Air TV Ready
- * Reverse Metre Marked
- * 305 Metre Box

30M RG6 Quad Shield Reel BC85120



- * RG6 Quad Shield Coax Cable
- * Foxtel Approved #F31070
- * Free to Air and PayTV Ready
- * 30 Metre Reel

100M RG6 Quad Shield Reel BC85087



- * RG6 Quad Shield Coax Cable
- * Foxtel Approved #F31021
- * Free to Air and PayTV Ready
- * 100 Metre Reel

305M RG6 Quad Shield Reel BC85084



- * RG6 Quad Shield Coax Cable
- * Foxtel Approved #F31020
- * Free to Air and PayTV Ready
- * 305 Metre Reel

305M RG6 Quad Shield Box BC85085



- * RG6 Quad Shield Coax Cable
- * Foxtel Approved #F31019
- * Free to Air and PayTV Ready
- * 305 Metre Reel in Box

152M RG6Q Siamese Reel BC71502



- * RG6 Quad Shield Siamese Coax Cable
- * Foxtel Approved #F30460
- * Free to Air and PayTV Ready
- * 152 Metre Reel

305M RG11 Quad Shield Reel 02CDRG11QR



- * RG11 Quad Shield Coax Cable
- * Free To Air TV Ready
- * Reverse Metre Marked
- * 305 Metre Reel

305M Foxtel Approved RG11 BC46034



- * RG11 Quad Shield Coax Cable
- * Foxtel Approved #F30467
- * Free to Air and PayTV Ready
- * 305 Metre Reel

Hills Antenna 50 Ohm Coax Cable Range



BC85208

- * RG58 Mini
- * 100M Reel



BC85210(11)

- * RG213 Coax
- * 100M Reel
- * 305M Reel



BC85207

- * LL195 Coax
- * 100M Reel



BC85205(6)

- * LL240 Coax
- * 100M Reel
- * 305M Reel



BC85203(4)

- * LL400 Coax
- * 100M Reel
- * 305M Reel

CATEGORY 03 - SPEAKER/DATA/SECURITY CABLE

16 AWG CCA Speaker Cable BC74610



HILLS
Antenna

- * 16 AWG 65 x 0.16mm Speaker Cable
- * Copper Clad Aluminium Conductors
- * Red Line Positive Mark
- * 100 Metre Plastic Reel

14 AWG CCA Speaker Cable BC74611



HILLS
Antenna

- * 14 AWG 105 x 0.16mm Speaker Cable
- * Copper Clad Aluminium Conductors
- * Red Line Positive Mark
- * 100 Metre Plastic Reel

12 AWG CCA Speaker Cable BC74612



HILLS
Antenna

- * 12 AWG 168 x 0.16mm Speaker Cable
- * Copper Clad Aluminium Conductors
- * Red Line Positive Mark
- * 100 Metre Plastic Reel

22 AWG OFC Speaker Cable 03C1716R1



DIGITEK

- * 22 AWG 17 x 0.16mm Speaker Cable
- * Oxygen Free Copper Conductors (OFC)
- * Red Line Positive Mark
- * 100 Metre Plastic Reel

16 AWG OFC Speaker Cable 03C6516R1



DIGITEK

- * 16 AWG 65 x 0.16mm Speaker Cable
- * Oxygen Free Copper Conductors (OFC)
- * Red Line Positive Mark
- * 100 Metre Plastic Reel

14 AWG OFC Speaker Cable 03C10516R1



DIGITEK

- * 14 AWG 105 x 0.16mm Speaker Cable
- * Oxygen Free Copper Conductors (OFC)
- * Red Line Positive Mark
- * 100 Metre Plastic Reel

CAT5E UTP Data Cable 03JCAT5EB-BL



DIGITEK

- * CAT5E UTP LAN Data Cable
- * 24 AWG - Solid Bare Copper
- * PVC Outer Jacket
- * 305 Metre Box

CAT6 UTP Data Cable 03JCAT6B-GY/BL



DIGITEK

- * CAT6 UTP LAN Data Cable
- * 23 AWG - Solid Bare Copper
- * PVC Outer Jacket
- * 305 Metre Plastic Reel in Box

CAT6 Jelly Filled UTP Data Cable 03JCAT6R3JF



DIGITEK

- * CAT6 UTP LAN Data Cable
- * PE Jelly Filled for Underground Installs
- * PE UV Stabilized Outer Jacket
- * 300 Metre Wooden Reel

4 Core Security Cable 03B144B3-WH/GY



DIGITEK

- * 14 Strand 4 Core Security Cable
- * 14x0.20mm Bare Copper Conductors
- * PVC Outer Jacket
- * 300 Metre Box

6 Core Security Cable 03B146B3-GY/WH



DIGITEK

- * 14 Strand 6 Core Security Cable
- * 14x0.20mm Bare Copper Conductors
- * PVC Outer Jacket
- * 300 Metre Box

24/0.20 Figure 8 Cable 03C2420R1-BK



DIGITEK

- * Red, Grey & White Also Available
- * Figure 8 Security Cable
- * 24x0.20mm Bare Copper Conductors
- * PVC Outer Jacket
- * 100 Metre Reel (Other Sizes Available)

CATEGORY 04 - AMPLIFIERS

LARA UHF Masthead Amplifier
FC658233C



- * Max Gain: 34dB
- * Bands: 28-51(UHF 520 - 694MHz)
- * Max Output Level: 104dB
- * PSU6F - 14vDC 150mA PSU Included

Q-AMP Masthead Amplifier
FC658261C



- * Max Gain: 34dB
- * Bands: 6-12(VHF) & 28-51(UHF)
- * Max Output Level: 104dB
- * PSU6F - 14vDC 150mA PSU Included

Maxilink Distribution Amplifier
FC658002C



- * Max Gain: 30dB +/- 2dB
- * Frequency Range: 47 - 860MHz
- * Max Output Level: 115dB
- * 12vDC 500mA Power Supply Included

PSU6F 150mA Power Supply
FC658274A



- * 14vDC 150mA Plug Pack
- * Fitted with F Type Injector
- * Also Includes Pal Type Adaptors
- * Suitable for Lara/Q-AMP Amplifiers

Small Empty Enclosure
04AMENC01



- * Watertight Enclosure
- * Supplied with Cable Tie
- * Dimensions: 141 x 102 x 56mm

Large Empty Enclosure
04AMENC02



- * Watertight Enclosure
- * Supplied with Cable Tie
- * Dimensions: 145 x 125 x 73mm

Masthead Amplifiers
Distribution Amplifiers
Channel Processors

Visit www.bitek.com.au to see the full range.

Kingray

Masthead Amplifiers

Power Supplies

Distribution Amplifiers

And More

Visit www.bitek.com.au to see the full range.

CATEGORY 05 - WALL PLATES

F Type to Pal Wallplate

05APFP

DIGITEK®



- * F Type Female to Pal Female
- * Standard ABS Plastic
- * Screws Included
- * Suits Standard C Clips, etc

F Type to F Type Wallplates

05A1FU*

DIGITEK®



FOXTEL
APPROVED

Range Available

- * 05A1FU3 - Single 3GHz Barrel
- * 05A1FUD - Dual 3GHz Barrel
- * 05A1FU33 - Triple 3GHz Barrel

Standard Blank Wallplate

05ABL

DIGITEK®



- * Blank Wallplate
- * Cover Holes
- * Mount Connectors/Adaptors
- * Standard ABS Plastic

F Type to Pal Skirting Outlet

05A2FP

DIGITEK®



- * F Type Female to Pal Female
- * Standard ABS Plastic
- * Screws Included
- * Skirting/Architrave Mount

F Type to F Type Skirting Outlet

05A2FU3

DIGITEK®



FOXTEL
APPROVED

- * F Type Female to F Type Female
- * 3 GHz Rated Barrel
- * Screws Included
- * Skirting/Architrave Mount

Architrave Gang Plates

05DAWP0*

DIGITEK®



Range Available

- * 05DAWP01 - 1 Gang White
- * 05DAWP02 - 2 Gang White
- * 05DAWP01BK - 1 Gang Black
- * 05DAWP02BK - 2 Gang Black

Gang Style Wallplate

05DWPO*

DIGITEK®



- * Blank (0),1,2,3,4,5,6 Gang Wallplates
- * Standard ABS Plastic
- * Suits Standard C Clips, etc
- * BK Suffix for Black Models

Media (Bullnose)Wallplate

05DWPM

DIGITEK®



- * Media Style Pass-Through Wallplate
- * Original "Bullnose" Design
- * Standard ABS Plastic
- * BK Suffix for Black Models

Media (Bullnose)Wallplate

05DWPMR

DIGITEK®



- * Media Style Pass-Through Wallplate
- * Reverse "Bullnose" Design
- * Standard ABS Plastic
- * BK Suffix for Black Models

Media (Bullnose)Wallplate

05DWPMS

DIGITEK®



- * Media Style Pass-Through Wallplate
- * Slim "Bullnose" Design
- * Standard ABS Plastic
- * BK Suffix for Black Model

Media (Flat) Wallplate

05DWMF

DIGITEK®



- * Media Style Pass-Through Wallplate
- * Flat Design with Brush
- * Standard ABS Plastic
- * BK Suffix for Black Models

Media (Bullnose)Wallplate

05DWPM D

DIGITEK®



- * Media Style Pass-Through Wallplate
- * Detachable "Bullnose" Design
- * Standard ABS Plastic
- * Packaged in Colour Gift Box

CATEGORY 05 - INSERTS

F Type 3GHz Barrel Insert

05BCFF3



FOXTEL
APPROVED



- * F Type Female to F Type Female
- * 3Ghz PAYTV Approved Barrel
- * Suits Digitek, Clipsal and Other W/Ps
- * BK Suffix for Black Model

F Type to Pal Insert

05BCFPS



- * F Type Female to Pal Female
- * Standard TV Outlet
- * Standard ABS Plastic
- * Sold Individually

HPM Style Inserts

05BHFF3/05BHFP3



FOXTEL
APPROVED



- * 05BHFF3 - F Type 3GHz Insert
- * 05BHFP3 - F Type to Pal Insert
- * Suits HPM Style Wallplates
- * Standard ABS Plastic

CAT5E RJ45 Data Insert

05CRJ45C5E



- * CAT5E Rated Data Mech
- * RJ45 Insert/Mech
- * Suits Digitek, Clipsal and Other W/Ps
- * Suitable for T568A and T568B Wiring

CAT6 RJ45 Data Insert

05CRJ45C6



- * CAT6 Rated RJ45 8P8C Data Mech
- * Suitable for T568A and T568B Wiring
- * Suits Digitek, Clipsal and Other W/Ps
- * Backwards Compatible with CAT5E

CAT6A RJ45 Data Insert

05CRJ45C6A



- * CAT6A Rated RJ45 8P8C Data Mech
- * Suitable for T568A and T568B Wiring
- * Suits Digitek, Clipsal and Other W/Ps
- * Backwards Compatible with CAT5E/6

Speaker Binding Post Inserts

05BC5B/05BC5R



- * Standard Speaker Binding Posts
- * With Black/Red Stripe (Sold Separately)
- * Suits Digitek, Clipsal and Other W/Ps
- * BK Suffix for Black Model

Flexible Tail 3.5mm Insert

05BC8



- * 3.5mm to 3.5mm Audio Insert
- * Stereo Connection Only
- * Suits Digitek, Clipsal and Other W/Ps
- * Standard ABS Plastic Surrounds

Flexible Tail USB3.0 Insert

05BC7T



- * USB Female to USB Female Insert
- * Rated to USB 3.0
- * Suits Digitek, Clipsal and Other W/Ps
- * BK Suffix for Black Model

Straight HDMI Insert

05BC6V2



- * HDMI Female to HDMI Female
- * Supports 4k@60Hz 18Gbps
- * Suits Digitek, Clipsal and Other W/Ps
- * BK Suffix for Black Model

Right Angle HDMI Insert

05BC6RV2



- * HDMI Female to HDMI Female
- * Supports 4k@60Hz 18Gbps
- * Suits Digitek, Clipsal and Other W/Ps
- * BK Suffix for Black Model

Flexible Tail HDMI Insert

05BC6TV2



- * HDMI Female to HDMI Female
- * Supports 4k@60Hz 18Gbps
- * Suits Digitek, Clipsal and Other W/Ps
- * BK Suffix for Black Model

CATEGORY 06 - PATCH LEADS

Hills Antenna Installer Grade HDMI Leads

- * Rated to 4K @ 60Hz 18Gbps
- * 24K Gold Plated Connectors
- * Premium Certified HDMI Leads *



Installer Grade Round Cable

- * 06HD500 - 500mm
- * BC85138 - 1 Metre
- * BC85127 - 2 Metre*
- * BC85128 - 3 Metre*
- * BC85129 - 5 Metre*
- * BC85130 - 10 Metre



Installer Grade Flat Cable

- * 06HDF1.8 - 1.8 Metre
- * 06HDF3 - 3 Metre
- * 06HDF5 - 5 Metre



- ### Installer Grade Round Cable Right Angle Connector
- * 06HDRAS1.8 - 1.8 Metre

HDMI Active Optical Cables

06HDAOCxx



- Lengths Available
- * 10 Metre
 - * 15 Metre
 - * 20 Metre
 - * 30 Metre
 - * 50 Metre

- * High Quality Optoelectronic Conversion
- * No Attenuation, Loss of Signal or Delay
- * 24K Gold Plated HDMI Connectors
- * Supports 4K@60Hz 18Gbps

ProquipDigital Premium Quality HDMI Leads



- * Rated to 4K @ 60Hz 18Gbps
- * 24K Gold Plated Connectors
- * Premium Certified HDMI Leads *



Heavy Duty Braided Cable



Heavy Duty Zinc Alloy HDMI Connectors



Premium HDMI Round Cable

- * 06HDP0.5V2.0 - 500mm
- * 06HDP1.0V2.0 - 1 Metre
- * 06HDP2.0VPC - 2 Metre*
- * 06HDP3.0VPC - 3 Metre*
- * 06HDP5.0VPC - 5 Metre*
- * 06HDP10V2.0 - 10 Metre

TOSLINK Audio Optical Leads

06COPT1-x



- Lengths Available
- * 1 Metre
 - * 1.8 Metre
 - * 2.5 Metre
 - * 3 Metre
 - * 5 Metre
 - * 10 Metre
 - * 15 Metre
 - * 20 Metre



- * Digital Audio Cables
- * Toslink to Toslink Plugs
- * Durable Metal Plug Casing

RG6 Quad Shield TV and Satellite Fly Leads




Pal Male to Pal Male Leads

- * 06A18MQB - Black 1.8 Metre Lead
- * 06A18MQW - White 1.8 Metre Lead
- * 06A3MQB - Black 3 Metre Lead
- * 06A3MQW - White 3 Metre Lead



Pal Male to F Type Male Leads

- * 06A318MQB - Black 1.8 Metre Lead
- * 06A318MQW - White 1.8 Metre Lead
- * 06A33MQB - Black 3 Metre Lead
- * 06A33MQW - White 3 Metre Lead



Optical SC-APC/SC-APC Leads

06LSCAPCxx.x



- Lengths Available
- * 2 Metre
 - * 5 Metre
 - * 10 Metre
 - * 20 Metre
 - * 50 Metre

- * Fibre Type: Single Mode
- * Low Insertion Loss: <0.3dB
- * Return Loss: >45dB
- * Factory Terminated and Tested

DataTek CAT6 UTP DATA Patch Leads



- * CAT6 Standard Cable
- * Gigabit Ethernet
- * RJ45 Moulded Connectors
- * 4 Stranded Twisted Pairs
- * 24 AWG Copper Wire
- * RCM Compliant

Range Available

- * 06DC6PL0.5B - 500mm
- * 06DC6PL1.0B - 1 Metre
- * 06DC6PL2.0B - 2 Metre
- * 06DC6PL3.0B - 3 Metre
- * 06DC6PL5.0B - 5 Metre
- * 06DC6PL10B - 10 Metre
- * 06DC6PL15B - 15 Metre
- * 06DC6PL20B - 20 Metre
- * 06DC6PL30B - 30 Metre



USB Leads

06IUSBMxxx



- * USB 2.0 Rated Leads
- * 480Mbps Data Transfer Rates
- * 06IUSBMF5M - Male to Female 5 Metre
- * 06IUSBMM5M - Male to Male 5 Metre

CATEGORY 07, 08 & 09 - MIXED PRODUCT

Diplexer 07ADP10F



- * Diplexer Channels 0 - 36 & 40 - 69
- * Frequency Range 5-580MHz, 610-862MHz
- * Insertion Loss <2.5dB
- * F Type Connections

Diplexer 07CCS101UV



- * Free To Air & Satellite Diplexer
- * Frequency Range 5-800MHz, 950-2400MHz
- * All Ports Power Pass
- * Foxtel Approved #F165

Diplexer 07CUVSJ



- * VHF/UHF Diplexer
- * Indoor Use Only (Or With Enclosure)
- * F Type Connections

F Type Attenuators 08AFxx



- * F Type Female to F Type Male
- * Reduce Signal Strength
- * Values: 03,06,09,10,12,16,20db
- * Sold Individually

Outdoor F Type Balun 08BMBT2UT



- * UHF/VHF Outdoor Balun
- * F Type Connection
- * Pre-terminated Soldered Terminals

Low Pass LTE Filter 09ALPF694MA



- * F Type Female to F Type Male
- * Low Insertion Loss
- * High Rejection and Excellent Return Loss
- * 45dB Typical Attenuation 550 - 778MHz

DC Inline Blockers 09CDCBL2



- * Isolate Voltage in Your System
- * 100V DC Max
- * Sold As A Pack of 2
- * Foxtel Approved # F30865

DC Isolated Terminators 09CDCIT2



- * Terminates Unused Ports in Your System
- * Sold As A Pack of 2
- * Foxtel Approved # F30858

Power Inserter 09CDCPI



- * F Type Connections
- * 24VDC, 5 - 1002MHz
- * Connections Labelled on Top of Device
- * Wall Plate and Power Supply Not Included

Band Pass Filters



Band pass filters offer easy passage of frequencies within a specified range while rejecting frequencies above and below the specified range. A band pass filter can be used to protect a receiver against interference from transmissions out of the passband or to reduce spurious output from a transmitter. Our selection of band pass filters covers DVB T frequencies and are manufactured in Channel Block configuration.

Range Available

- * 09ABPFA - Band Pass Filter Block A (174 - 230MHz)
- * 09ABPFB - Band Pass Filter Block B (526 - 568MHz)
- * 09ABPFC - Band Pass Filter Block C (568 - 610 MHz)
- * 09ABPFD - Band Pass Filter Block D (610 - 652MHz)
- * 09ABPFE - Band Pass Filter Block E (652 - 694MHz)

CATEGORY 09 - Power Boards and Leads

Heavy Duty Extension Lead 09HHDEL-25M-YLW

HLLS.
Antenna



- * Length: 25 Metre
- * Colour: Yellow
- * Diameter: 1.00mm2
- * Package: Coil

Heavy Duty Extension Lead 09HHDELHV-25M-ORG/WP

HLLS.
Antenna



- * Length: 25 Metre
- * Colour: High Visibility Orange
- * Diameter: 1.00mm2
- * Extra Heavy Duty Outer Sheath

Heavy Duty Extension Lead 09HHDEL-25M-1.5-YLW

HLLS.
Antenna



- * Length: 25 Metre
- * Colour: Yellow
- * Diameter: 1.50mm2
- * Package: Coil

Retractable Power Lead 09HPRSD-AUTO-1.0MM/15.0M

HLLS.
Antenna



- * Length: 15 Metre
- * Colour: Black
- * 4 x Power Outlets
- * Package: Box

Power Extension Lead 09HPL3-xxx

HLLS.
Antenna



- * Lengths Available: 2,3,5,7,10,15,20 Metre
- * 230 - 240V AC 50Hz
- * 10 Amps 2400W Max
- * Available in White Only

Power Double Adaptor 09HDA-2xxx

HLLS.
Antenna



- * Standard Double Adaptor
- * Left, Right and Vertical Options
- * Sold Individually
- * Available in White Only

Surge Protector 09HDA-2 V-S/WHT

HLLS.
Antenna



- * Vertical Double Adaptor
- * Surge Protected Outlets
- * Sold Individually
- * Available in White Only

Power Boards 09HPB-xxx

HLLS.
Antenna



- * Standard Power Board
- * 4 Way and 6 Way Models Available
- * Available Individually or in 2 Packs
- * Available in White Only

Power Boards 09HPB-4-IS/xxx

HLLS.
Antenna



- * Individually Switched Power Board
- * 4 Outlets. Spaced for Power Packs
- * Overload Protection
- * Available in Black or White

Power Pack 09HTEPOW01

HLLS.
Antenna



- * 4 Way Standard Power Board
- * Vertical Double Adaptor
- * 2 Metre Extension Lead
- * Available in White Only

10 Way Surge Protector 09HPB-10-HT3/BLK

HLLS.
Antenna



Features

- * 10 Well Spaced Power Sockets
- * Power Sockets Individually Labelled
- * 1800 Joules Surge Protection
- * USB, Data & TV Port Protection
- * Illuminated On/Off Master Switch
- * Ground Indicator
- * 10 Amp Circuit Breaker
- * 1.8 Metre Heavy Duty Lead
- * EMI/RF Noise Filter
- * USB 2.1 Amp Output

CATEGORY 10 - SPLITTERS

Single Port Power Pass TV Splitters

10BSPFx



Features

- * 2,3,4,6 & 8 Way Models Available
- * Suitable for Terrestrial FTA TV
- * Rated 5 - 1000MHz
- * Single Port Power Pass Design
- * F Type Female Connections
- * Zinc Die-cast Housing, Tin Plated
- * Light weight, Compact Size
- * Mounting Screws Included
- * Housing Earth Point, Earth Screw Supplied
- * Easy Installation

All Port Power Pass TV Splitters

10DCS20x



Features

- * 2,3,4,6 & 8 Way Models Available
- * Suitable for Terrestrial & Satellite TV
- * Rated 5 - 2400MHz
- * All Port Power Pass Design
- * F Type Female Connections
- * Zinc Die-cast Housing, Tin Plated
- * Lightweight, Compact Size
- * Mounting Screws Included
- * Housing Earth Point, Earth Screw Supplied
- * Easy Installation



Single Port Power Pass TV Splitters

10BSPF12/10BSPF16



Features

- * 12 and 16 Way Models
- * Rated 5 - 1000MHz
- * Single Power Pass Design
- * F Type Female Connections
- * Zinc Die-cast Housing, Tin Plated
- * Lightweight Compact Size
- * Mounting Screws Included
- * Housing Earth Point
- * Earth Screw Supplied
- * Easy Installation

Single Port Power Pass Splitter

BC75368/BC75369




- * 2 Way and 4 Way Models Available
- * Rated 5 - 1000MHz
- * Single Port Power Pass Design
- * Mounting Screws Included

All Port Power Pass TV Splitters



Features

- * Suitable for Terrestrial & Satellite TV
- * Rated 5 - 2400MHz
- * All Port Power Pass Design
- * F Type Female Connections
- * Zinc Die-cast Housing, Tin Plated
- * Lightweight Compact Size
- * Mounting Screws Included
- * Housing Earth Point, Earth Screw Supplied
- * Easy Installation



Range Available

- * BC15482S - 2 Way Splitter
- * BC15166S - 3 Way Splitter
- * BC15484S - 4 Way Splitter
- * BC15164S - 6 Way Splitter
- * BC15254S - 8 Way Splitter

CATEGORY 11 - TAPS/COUPLERS

1 Drop 5 - 2400MHz Tap



Range Available

- * 11A110 - 1 Drop 10dB Coupler
- * 11A112 - 1 Drop 12dB Coupler
- * 11A115 - 1 Drop 15dB Coupler
- * 11A120 - 1 Drop 20dB Coupler
- * 11A124 - 1 Drop 24dB Coupler

2 Drop 5 - 2400MHz Tap



Range Available

- * 11B210 - 2 Drop 10dB Coupler
- * 11B212 - 2 Drop 12dB Coupler
- * 11B215 - 2 Drop 15dB Coupler
- * 11B220 - 2 Drop 20dB Coupler
- * 11B224 - 2 Drop 24dB Coupler
- * 11B230 - 2 Drop 30dB Coupler

4 Drop 5 - 2400MHz Tap



Range Available

- * 11C410 - 4 Drop 10dB Coupler
- * 11C412 - 4 Drop 12dB Coupler
- * 11C415 - 4 Drop 15dB Coupler
- * 11C420 - 4 Drop 20dB Coupler
- * 11C424 - 4 Drop 24dB Coupler

6 Drop 5 - 2400MHz Tap



Range Available

- * 11D615 - 6 Drop 15dB Coupler
- * 11D620 - 6 Drop 20dB Coupler
- * 11D625 - 6 Drop 25dB Coupler

1 Drop 5 - 2400MHz R/A Tap



Range Available

- * 11E109 - 1 Drop 9dB Right Angle Coupler
- * 11E116 - 1 Drop 16dB Right Angle Coupler
- * 11E120 - 1 Drop 20dB Right Angle Coupler
- * 11E124 - 1 Drop 24dB Right Angle Coupler
- * 11E127 - 1 Drop 27dB Right Angle Coupler
- * 11E130 - 1 Drop 30dB Right Angle Coupler

01RHLPCA

Improve your reception on any
3G/4G/5G Mobile Network

3G/4G & 5G LPDA ANTENNA



PREMIUM STORAGE SOLUTIONS FOR YOUR WORKSHOP AND VEHICLE



CASE FEATURES:

- Ergonomic Handle
- Label Holder
- Lockable Lid
- Rolacase Compatible
- Complete with All Dividers
- Superior Front-Locking Clasps



FOR THE FULL RANGE SEE PAGES 34 - 35

CATEGORY 12 - CONNECTORS



**12A59F
RG59**
F Type Crimp
Each



**BC2090
RG59**
F Type Crimp
Each



**BC2090B
RG59**
F Type Crimp
Box (10)



**12A59FT
RG59**
F Type Twist-on
Each



**BC88095
RG59**
F Type Twist-on
Each



**12A59PM
RG59**
Pal Male Crimp
Each



**12A59PF
RG59**
Pal Female Crimp
Each



**12D59
RG59**
BNC Male Crimp
Each



**12D59C
RG59**
BNC M Compression
Each



**12D59F
RG59**
BNC Female Crimp
Each



**12D59I
RG59**
BNC Male Crimp
Each



**12D58
RG58**
BNC Male Crimp
Each



**12B6F
RG6**
F Type Crimp
Each



**BC2092
RG6**
F Type Crimp
Each



**BC2092B
RG6**
F Type Crimp
Box (10)



**12B6FT
RG6**
F Type Twist-on
Each



**BC14302
RG6**
F Type Twist-on
Each



**12DN58
RG58**
N Type
Each



**BC14302B
RG6**
F Type Twist-on
Box (10)



**12B6FSLD
RG6 F Type**
Dual/Tri Push-on
Each



**12B6FSLQ
RG6 F Type**
Quad Push-on
Each



**12B6FC
RG6**
F Type Compression
Each



**BC88097
RG6**
F Type Compression
Each



**12BP6C
RG6**
F Type Compression
Each



**12BPC6CLMG
RG6**
F Type Compression
Each



**12BPC6CF
RG6**
F Type Compression
Each



**BC80490
RG6**
F Type Compression
Each



**BC80490B
RG6**
F Type Compression
Box (25)



**12B6PM
RG6**
Pal Male Crimp
Each



**BC87157
RG6**
Pal Male Crimp
Each



**BC87157B
RG6**
Pal Male Crimp
Box (2)



**12B6PF
RG6**
Pal Female Crimp
Each



**BC87156B
RG6**
Pal Female Crimp
Box (2)



**BC72483A
RG6**
PAL M Compression
Each



**12E6
RG6**
BNC Male Crimp
Each



**12E6I
RG6**
BNC Male Crimp
Each



**12CP11F
RG11**
F Type Crimp
Each



**BC2094
RG11**
F Type Crimp
Each



**12CP11C
RG11**
F Type Compression
Each



**BC89237F
RG11**
F Type Compression
Each



**12CPC11CF
RG11**
F Type Compression
Each



**12C11RB
RG11**
Rubber Boot
Each



**12CFTer
F Type**
Terminator
Each



**12IPK3930
CAT 6**
RJ45 Solid
Each



**12IC68P8C/SLD
CAT 6**
RJ45 Solid Shielded
Each



**12IDCRJ458P8C
CAT 6**
Open Pass RJ45
Each



**05CRJ456J
CAT 6**
RJ45 Joiner
Each



**12B6RB
RG6**
Rubber Boot
Each

CATEGORY 13 - ADAPTORS



13AFFF

F Type Female
F Type Female
1GHz Adaptor



13AFFFHR3

F Type Female
F Type Female
3GHz Adaptor



13AFFFS

F Type Female
F Type Female
1GHz Short Barrel



13ARAFF

F Type Male
F Type Female
1Ghz Right Angle



13ARAFFG3G

F Type Male
F Type Female
3GHz Right Angle



13APMFF

F Type Female
Pal Male
Adaptor



13AFFPMRA

F Type Female
Pal Male
Right Angle



13APFFF

F Type Female
Pal Female
Adaptor



13AQCF

F Type Female
F Type Male
Quick Connect



13CRCAFF

F Type Female
RCA Female
Adaptor



13CRCAMFF

F Type Female
RCA Male
Adaptor



13CRCAMFFRA

F Type Female
RCA Male
Right Angle



13AFFM

F Type Male
F Type Male
Adaptor



13AFMPF

F Type Male
Pal Female
Adaptor



13AFMPM

F Type Male
Pal Male
Adaptor



13AFMPMRA

F Type Male
Pal Male
Right Angle



13AQFFM

F Type Male
F Type Male
Quick Connect



13CRCAFFM

F Type Male
RCA Female
Adaptor



13APPF

Pal Female
Pal Female
Adaptor



13APPFMRA

Pal Female
Pal Male
Right Angle



13APPM

Pal Male
Pal Male
Adaptor



13BBNCBNCC

BNC Female
BNC Female
Chassis Mount



13BBNCFF

BNC Female
BNC Female
Adaptor



13BBNCMFF

BNC Male
F Type Female
Adaptor



13BBNCMPF

BNC Male
Pal Female
Each



13BBNCRCAF

BNC Male
RCA Female
Each



13CRCAFF

RCA Female
RCA Female
Adaptor



13C2RCAFF

2 x RCA Female
2 x RCA Female
Adaptor



13C3RCAFF

3 x RCA Female
3 x RCA Female
Quick Connect



13CRCAM2RCAF

1 x RCA Male
2 x RCA Female
Adaptor



13CRCAMBNCF

RCA Male
BNC Female
Adaptor



13CRCAMFFRA

F Type Female
RCA Male
Right Angle

DOES YOUR ANTENNA CARRY THE OFFICIAL AUSTRALIAN MADE LOGO?



HILLS
Antenna

OUR TRU RANGE DOES!
TRU-BAND | TRU-SPEC | TRU-MAX

HILLS
Antenna

CATEGORY 14 - MASTING

Standard Masts



Range

- * 14GM2032 - 2.0 Metre x 32mm x 1.2mm
- * BC602826 - 2.4 Metre x 32mm x 1.2mm
- * BC602762 - 3.0 Metre x 32mm x 1.2mm
- * BC602922 - 4.5 Metre x 32mm x 1.2mm
- * 14GM3038 - 3.0 Metre x 38mm x 1.2mm
- * BC602948 - 3.3 Metre x 38mm x 1.2mm
- * BC602930 - 4.5 Metre x 38mm x 1.2mm
- * BC602972 - 3.0 Metre x 51mm x 1.2mm

Mini Telescopic Mast

14GTM10



- * 3 Metre (10FT) 3 Section Mini Telomast
- * 25, 32 and 38mm Sections
- * Pre Galvanised Steel

Telescopic Masts



Features

- * Extends from 3 Metre Base Size
- * Wall Thickness: 1.2mm
- * Wind Classification up to W41

Range Available

- * FB180A - 6 Metre (20FT) 2 Section Telomast
- * FB172A - 9 Metre (30FT) 3 Section Telomast
- * FB164A - 12 Metre (40FT) 4 Section Telomast
- * FB156A - 15 Metre (50FT) 5 Section Telomast

Telomast Accessory Packs



Kits Include:

Thumbscrews, Retaining Pins, Thimbles and Mast Cap

Range Available

- * FB50A - 6 Metre Telomast Accessories
- * FB68A - 9 Metre Telomast Accessories
- * FB76A - 12 Metre Telomast Accessories
- * FB84A - 15 Metre Telomast Accessories

Telescopic Mast Foot

FB602498



- * Suits Guyed Masts or Telomasts
- * Adjustable Angle for Sloped Roof
- * Zinc Plated
- * Suits Metal/Concrete Roof


Lock Ring Collars



Range Available

- * FB902178 - 32mm/A Section Lock Ring
- * FB902186 - 38mm/B Section Lock Ring
- * FB902194 - 45mm/C Section Lock Ring

Guy Ring Plates



Range Available

- * FB902224 - 32mm Guy Ring Plate
- * FB902312 - 38mm Guy Ring Plate
- * FB902240 - 45mm Guy Ring Plate

Guy Cleat

FB602770



- * Hot Dip Galvanised
- * Dimensions: 112 x 40 x 3mm
- * Weight: 0.105 KG

Guy Wire Thimble



- * FB607241 - 6 Pack
- * FB901310 - 12 Pack
- * Zinc Plated
- * Dimensions: 35 x 21mm
- * Weight: 0.01 KG

Guy Anchor Plate

FB901706



- * Hot Dipped Galvanised
- * Use On All Roof Types
- * Holds Turnbuckle Securely

Guy Wire Clamp 14JGWC



HLLS.
Antenna

- * Used for Tying Off Guy Wire
- * Zinc Plated
- * Dimensions: 25.5 x 22 x 15mm
- * Weight : 0.03 KG

Guy Wire Reel BC85126



HLLS.
Antenna

- * 7 Strands x 0.90mm
- * 2.70mm Overall Diameter
- * Galvanised Coating
- * 180 Metre Plastic Reel


Turnbuckles



HLLS.
Antenna

- * BC286 - 6mm, 1/4" Turnbuckle
- * BC294 - 8mm, 5/16" Turnbuckle
- * Used to Adjust Tension of Guy Wire
- * Hook and Eye Design

Screw Eyes



HLLS.
Antenna

Features
* Zinc Plated

Range Available

- * 14JSE150-8 - 150 x 8mm Screw Eye
- * 14JSE175-8 - 175 x 8mm Screw Eye

16mm Stay Bars



HLLS.
Antenna

Features
* 16mm Diameter
* Galvanised Steel
* Sold in 2 Packs

Range Available

- * FB902048 - 1.2 Metre (4 FT) x 16mm
- * FB902056 - 1.8 Metre (6FT) x 16mm
- * FB902064 - 2.4 Metre (8 FT) x 16mm

25mm Stay Bars



HLLS.
Antenna

Features
* 25mm Diameter
* Galvanised Steel
* Sold in 2 Packs

Range Available

- * FB902072 - 1.2 Metre (4 FT) x 25mm
- * FB902080 - 1.8 Metre (6FT) x 25mm
- * FB902098 - 2.4 Metre (8 FT) x 25mm

Extendable Stay Bars



HLLS.
Antenna

Features
* 25mm Diameter
* Galvanised Steel
* Sold in 2 Packs

Range Available

- * FB607070 - 900 x 1500mm
- * 14FSBE - 1160mm x 2000mm
- * 14FSEB1 - 1890 x 3460mm


Stay Bar Collars



HLLS.
Antenna

Range Available
* FB902328 - 25mm Stay Bar Collar
* 14JSBC2 - 32mm Stay Bar Collar
* FB902110 - 38mm Stay Bar Collar

V Blocks



HLLS.
Antenna

Range Available
* 14KVB - V Block Flat Back
* FB901222 - V Block Round Back
* 14KOVV - Offset V Block

U Bolts



HLLS.
Antenna

Range
* 14KUBM - Medium - 62 x 8mm
* 14KUBL - Long - 140 x 8mm

Universal Clamp 14KUNVGAL



HLLS.
Antenna

* Join Masts at Right Angles
* Heavy Duty Welded Steel
* Hot Dipped Galvanised Steel

Flush Wall Mount 14DFWM




HLLS.
Antenna

* Securely Mount Mast Flush Against Wall
* Includes 2 x V Blocks Round Back

CATEGORY 14 - HARDWARE

Tile Roof Ridge Mount

FB606366



HLLS.
Antenna

- * Tile Roof Installation
- * Base Plate for Guyed Masts
- * Includes U Bolt, Nuts & Washers
- * Hot Dip Galvanised Steel

Iron Roof Ridge Mount

FB606374




HLLS.
Antenna

- * Tin Roof Installation
- * Base Plate for Guyed Masts
- * Includes U Bolt, Nuts & Washers
- * Hot Dip Galvanised Steel

Light Angle Roof Mount

14ALARMGAL



HLLS.
Antenna

- * Base Plate for Guyed Masts
- * Includes U Bolt, Nuts & Washers
- * Hot Dip Galvanised Steel

Mast Extension

FB603684



HLLS.
Antenna

- * Add Extra Height to Existing Mast
- * 1.5 Metres
- * Includes V Blocks and U Bolts
- * Hot Dip Galvanised Steel Mast

Mast Extension Kit

FB602392



HLLS.
Antenna

- * Join Two Masts Together
- * Includes 6 x V Blocks
- * Includes 2 x U Bolts
- * Includes 4 x Thimbles

Strammit Mounts

14ASMTW/14ASMTWE



HLLS.
Antenna

- * For Strammit/Clip Lock Style Roof
- * Non-penetrating Design
- * Suits Masts up to 40mm in Diameter
- * Wide and Extra Wide Foot Models

Guy Foot Strammit

14JGFS



HLLS.
Antenna

- * For Strammit/Clip Lock Style Roof
- * Guy Wire Anchoring Point
- * Includes 2 Fastening Bolts
- * Hot Dip Galvanised

Guy Foot Strammit - Bolt

14JGFSB



HLLS.
Antenna

- * For Strammit/Clip Lock Style Roof
- * Stay Bar Anchoring Point
- * Includes 2 Fastening Bolts
- * Hot Dip Galvanised

Mast Foot Strammit

14JMFS



HLLS.
Antenna

- * For Strammit/Clip Lock Style Roof
- * Guyed Mast Base Fixture
- * Includes 2 Fastening Bolts & U Bolt
- * Hot Dip Galvanised

Flexi Mount Tin Roof

FB607042A



HLLS.
Antenna

FOXTEL
APPROVED

- * Heavy Duty Tin Roof Mount
- * Suits 65 or 80cm Dish
- * NBN Approved # MA-2018-000019
- * Foxtel Approved #G99

External Vertical Surface Mount

FB607058



HLLS.
Antenna

FOXTEL
APPROVED

- * Suits Masonry/Brick Walls
- * Suits 65 or 80cm Dish
- * NBN Approved # MA-2018-000019
- * Foxtel Approved #F10003

Soffit Mount

FB606648A



HLLS.
Antenna

FOXTEL
APPROVED

- * Suits Masonry/Brick Walls
- * Suits 65 or 80cm Dish
- * Domestic or Commercial Use
- * Foxtel Approved #F30905

CATEGORY 14 - HARDWARE

Satellite Gutter Mount

FB607237A/FB607238A

HLLS
Antenna

FOXTEL
APPROVED



- * FB607237A - 600mm Model
- * FB607238A - 900mm Model
- * NBN Approved # MA-2018-000019
- * Foxtel Approved # F30569/F30570

Satellite Single Arm Gutter Mount

14CGMGAL

HLLS
Antenna



- * Suits 65cm & 80cm Satellite Dishes
- * 10mm Heavy Duty Base Plate
- * Hot Dip Galvanised Steel
- * Mounts to Truss/Rafter

Satellite 45° Gutter Mount

FB607162/FB607163

HLLS
Antenna

FOXTEL
APPROVED



- * FB607162 - 600mm Model
- * FB607163 - 900mm Model
- * NBN Approved # MA-2018-000019
- * Foxtel Approved # F30907/F461

2 Piece FTA Antenna Gutter Mount

14BGMGAL2

HLLS
Antenna

FOXTEL
APPROVED



- * 1.8 Metre x 25mm Mast
- * 10mm Heavy Duty Base Plate
- * Hot Dip Galvanised Steel
- * Mounts to Truss/Rafter

FTA Antenna Gutter Mount

14BGMGAL

HLLS
Antenna



- * 1.8 Metre x 25mm Mast
- * 10mm Heavy Duty Base Plate
- * Hot Dip Galvanised Steel
- * Mounts to Truss/Rafter

FTA Antenna Rafter Mounts

14BRMGAL/FB607292

HLLS
Antenna



- * 14BRMGAL - 1.8 Metre x 25mm
- * FB607292 - 1.8 Metre x 32mm (HD)
- * Hot Dip Galvanised Steel
- * Mounts to Truss/Rafter

Universal Antenna Tripod Mount

14ATPMBKE

DIGITEK



- * Suitable for Tin or Tile Roof
- * Includes Extendable Stay Bars & Tile Kit
- * Requires Mast (14ATPMxxx)
- * Strong & Sturdy Tripod Mount

Universal Tripod Masts

14ATPMxxx

DIGITEK



- * PreGal Mast with Tabbed End
- * 14ATPM1.2 - 1.2 Metre x 25mm Mast
- * 14ATPM1.8 - 1.8 Metre x 25mm Mast
- * 14ATPM2.4 - 2.4 Metre x 25mm Mast

Universal Tripod Masts HD

14ATPMxxxHD

DIGITEK



- * HD PreGal Mast with Tabbed End
- * 14ATPM1.2 - 1.2 Metre x 32mm Mast
- * 14ATPM1.8 - 1.8 Metre x 32mm Mast
- * 14ATPM2.4 - 2.4 Metre x 32mm Mast

Curved Fascia Brackets

HLLS
Antenna



- * Hot Dip Galvanised Steel
- * FB603004 - 1.0 Metre x 25mm x 1.2mm
- * FB602406 - 1.4 Metre x 25mm x 1.2mm
- * FB603298 - 1.8 Metre x 25mm x 1.2mm

Tin Roof Tripod Mount

BC2884

HLLS
Antenna

FOXTEL
APPROVED



- * Designed for Tin Roof Installs
- * Hot Dip Galvanised Base Plate
- * 1.2 Metre x 25mm x 1.2mm Mast
- * Ideal for Metro Antenna Installs

Tile Roof Tripod Mount

BC2880

HLLS
Antenna

FOXTEL
APPROVED



- * Designed for Tile Roof Installs
- * Hot Dip Galvanised Base Plate
- * 1.2 Metre x 25mm x 1.2mm Mast
- * Ideal for Metro Antenna Installs

CATEGORY 15 - CONSUMABLES

Silicone 15ASIL



- * Industrial Grade Silicone
- * Neutral Cure
- * Clear
- * UV Resistant

Amalgamation Tape 15AAT



- * Nitto Shinko No.15
- * Self Fusing Rubber Butyl Tape
- * 0.5mm x 19mm x 10 Metre
- * Amalgamates Within 2 Hours

Amalgamation Tape 15AAT11



- * Nitto Shinko No.11
- * Self Fusing Rubber Butyl Tape
- * 0.5mm x 19mm x 10 Metre
- * Features Release Liner

Duct Tape 15ADT



- * Conformable Vinyl Tape
- * High Adhesive Strength
- * Flame Retardant
- * 48mm x 0.13mm x 30 Metre

Electrical Tape 15AITB/WH



- * General Purpose PVC Electrical Tape
- * 0.18mm x 18mm x 20 Metre
- * Lead Free
- * Sold Individually

Electrical Tape 15AITRAIN



- * General Purpose PVC Electrical Tape
- * 0.18mm x 18mm x 20 Metre
- * Multiple Colour Tape Per Pack
- * Sold as a Pack (10 Rolls)

200mm Black Cable Tie 15BCT200B



- * 200mm x 4.8mm
- * Material: Nylon 66
- * 100 Cable Ties per Pack
- * UV Rated

200mm Black Cable Tie BC42



- * 200mm x 4.8mm
- * Material: Nylon 66
- * 100 Cable Ties per Pack
- * UV Rated

300mm Black Cable Tie 15BCT300B



- * 300mm x 4.8mm
- * Material: Nylon 66
- * 100 Cable Ties per Pack
- * UV Rated

300mm Black Cable Tie BC43



- * 300mm x 4.8mm
- * Material: Nylon 66
- * 100 Cable Ties per Pack
- * UV Rated

7mm Cable Clips 15C07MBLK/WH



- * Suits RG6 Quad Shield Cable
- * Suitable for Masonry or Timber Surfaces
- * Available in Black or White
- * Sold as a Pack of 100

14mm Cable Clips 15C14MBLK



- * Suits RG6 Quad/Tri Siamese Cable
- * Suitable for Masonry or Timber Surfaces
- * Available in Black Only
- * Sold as a Pack of 100

CATEGORY 16 - TOOLS

RG59/6 Coax Stripping Tool 16A06



- * Strip Back RG59/6 Coaxial Cable
- * Replaceable Blade
- * Compact and Easy to Use
- * Strips Outer Jacket, Shield & Insulation

RG59/6 Coax Stripping Tool 16A06A



- * Strip Back RG59/6 Coaxial Cable
- * Adjustable Blade System
- * Compact and Easy to Use
- * Strips Outer Jacket, Shield & Insulation

RG59/6 Coax Stripping Tool BC71588B



HLLS.
Antenna

- * Strip Back RG59/6 Coaxial Cable
- * Spring Loaded Handle
- * Compact and Easy to Use
- * Strips Outer Jacket, Shield & Insulation

RG59/6 Coax Combo Tool 16BSTFT



- * Strip Back RG59/6 Coaxial Cable
- * Compact and Easy to Use
- * 7/16" Wrench to Tighten F Connectors
- * Strips Outer Jacket, Shield & Insulation

RG11 Coax Stripping Tool 16A11



- * Strip Back RG11 Coaxial Cable
- * Heavy Duty Metal Construction
- * 2 Blade Design
- * Strips Outer Jacket, Shield & Insulation

UTP Stripping Tool 16A318



- * UTP/STP Stripping Tool
- * Strips 5.0 - 6.2mm Wire
- * 110/88 Punch Down
- * Strip back CAT5E/CAT6 Cable

RG59/6/11 Hex Crimping Tool 16B611



- * Hex Style Crimping Tool
- * Use with RG59/6/11 F Type Connectors
- * Heavy Duty Construction
- * Reliable Non Adjustable Crimp Tool

4 in 1 Compression Tool 16BCT6



- * Multi Connector Compression Tool
- * F Type, RCA, BNC and Pal Adaptors
- * Heavy Duty Construction
- * Handle Lock Mechanism

DB6U-L Compression Tool BC85191



HLLS.
Antenna

- * Conical Crimp Tool
- * For Use with DB6U-L Connectors
- * Suitable for F Connectors
- * Ratchet Release Mechanism

RG6/11 Compression Tool 16B611C



- * Basic RG6/11 Compression Tool
- * Rotating Head Piece
- * Suitable for F Type Connectors
- * Smooth Swift Compression Action

Premium RG6/11 Compression Tool 16BXTF038



- * Premium Quality Compression Tool
- * Works with PCT Branded Connectors
- * Easy to Use, Compact Design
- * Handle Lock Mechanism

Antenna Installers Kit BC88181



HLLS.
Antenna

- * Hex Crimp Tool
- * RG59/6 Coax Stripping Tool
- * Side Cutters
- * Handy Carry Case

CATEGORY 17 - AV EQUIPMENT

Digital to Analogue Converter

17HDAC



- * Supports up to 192KHz/24 Bit Audio
- * Optical or Digital Coaxial Input
- * 2 Channel Stereo Output
- * Power Supply Included

Digital Optical Splitter

17HOPSP12



- * Supports 2 Channel LPCM Audio
- * Supports 2 Channel DTS Audio
- * Supports S/PDIF Digital Audio
- * Easy to Install and Operate

Remote Control Extender

17CMRE



- * Up to 200 Metre Range
- * Compatible with Most IR Devices
- * Metal Case Design
- * Low Power Consumption

Composite to HDMI Converter

17HAV2HDMI



- * Convert RCA to HDMI 1080P (60Hz)
- * Supports Pal & NTSC
- * Plug and Play
- * Very Easy to Use

HDMI to Composite Converter

17HHDMI2AV



- * HDMI to Composite/S-Video
- * Supports 480P to 1080P Input
- * Output to Pal/NTSC
- * Power Supply Included

HDMI Switch

17HDMI5



- * Supports up to 4K HDMI Input
- * Output to up to 5 Devices
- * Plug and Play. No Software Needed
- * IR Remote Control Included

HDMI Splitter

17H12SPHDR



- * 1 x HDMI In to 2 x HDMI Out
- * Support for up to 4K @ 60Hz HDR
- * HDMI 2.0 / HDCP2.2 Compliant
- * EDID Management

HDMI Splitter

17HSCSP12



- * 1 x HDMI In to 2 x HDMI Out
- * Upscales HDMI Source to 4K@60Hz
- * HDMI 2.0 / HDCP2.2 Compliant
- * Supports TOSLINK/3.5mm Audio

HDMI Splitter & Extender

17HEXT12PRO



- * Distribute HDMI Source over CAT5E/6
- * HDMI Loop Out/Pass Through
- * HDMI 1.3 / HDCP1.2 Compliant
- * EDID Management

HDMI Extender over CAT5E/6

17HEXT1



- * Send HDMI over CAT5E/6
- * Up To 40 Metre Transmission Distance
- * Uncompressed and Zero Latency
- * Supports up to 1080P Video

MPEG 4 HDMI Modulator

17HPHD1V4



- * Supports HDMI and Composite Input
- * Supports Inputs up to 1080P @ 60Hz
- * HDMI Loop Through Feature
- * Firmware Upgradeable

Zycast Modulators

ZyCast



- * 1, 2, 4 & 8 Channel Modulators
- * Standard & Foxtel Approved Models
- * Rack Mount & Shelf Top Models
- * Other Zycast Equipment Also Available

CATEGORY 18 - TESTERS & METERS

Pocket Toner Cable Tester BC71774

HLLS.
Antenna



- * Easy to Use Continuity Tester
- * Tone Identifies Cable
- * LED Indicator
- * Detects Short Circuit

Network Tester 16GCT109



- * Tests Twisted Pair Cables
- * Tests Wrong Connection
- * Tests Short and Open Circuits
- * RJ45 Connections

Multi Function Cable Tester 16GCT2690P



- * Check & Trace Coax & CAT5E/6/7
- * Check Open & Short Circuit
- * Find Jumper, Cross or Split Pairs
- * Measure Cable Length

HDMI Cable Tester 16CHDMIT



- * Check for Continuity & Miswiring
- * Check for Open/Short/Cross Connections
- * Fast Testing Speed
- * Also Includes Cable Tracer

Satellite Finder 18ASF

DIGITEK



- * Analog Satellite Finder
- * Input Frequency 950 - 2150MHz
- * Audio Tone Plus Signal Strength
- * Light Weight, Pocketable Size

Digital Satellite Finder 18ASF-500

DIGITEK



- * Supports DVB-S & DVB-S2
- * LCD Display & Signal Buzzer
- * Inbuilt Compass
- * Operating Voltage DV12V-20V

NM-25 Digital Signal Meter BC85220

HLLS.
Antenna



- * DVB-T Signal Meter (FTA Terrestrial)
- * 50 - 80 dB Signal Indicators
- * Powered via 9V Battery
- * Pal & F Type Adaptors Included

NM-100 Digital Signal Meter BC85218

HLLS.
Antenna



- * DVB-T/T2 & DVB-S/S2 Support
- * Spectrum Analyzer Function
- * Signal Strength & Signal Quality Graphs
- * Easy to Use

NM-200 Digital Signal Meter BC85219

HLLS.
Antenna



- * DVB-T/T2 & DVB-S/S2 Support
- * Spectrum Analyzer Function
- * Signal Strength & Signal Quality Graphs
- * A Step Up From The NM-100

Rover HD TAB 700 Satellite & Free To Air Meter

BC85114TS



FOXTEL
APPROVED

Product Features

- * 7" TFT Touch Screen Display. 16:9 Display Format.
- * View MPEG2/4 Broadcast Image in SD or HD on Display
- * Measure Digital Power, MER, BER, PER, LDPC, BCH & Noise Margin
- * Compare MER vs Carrier Signal
- * Spectrum Analyser
- * Li-Po Battery Pack. 4 Hour Battery Operation. 12vDC, 1A Charger
- * USB Interface for Software Upgrade & for Data Storage
- * Transport Stream Recorder now Built In
- * Metal Construction and Includes Handy Carry Bag
- * Foxtel Approved #F31080

CATEGORY 19/20/21 - SATELLITE

65cm Satellite Dish FF200019

HLLS.
Antenna



FOXTEL APPROVED

- * 65cm Offset Elliptical Satellite Dish
- * Zinc Coated Steel
- * Suitable for KU Band
- * Foxtel Approved #F30711

80cm Satellite Dish 19A80



- * 80cm Offset Dish
- * Rolled Edge Dish with Single Arm
- * Made in Taiwan
- * Suitable for KU Band

90cm Satellite Dish 19AJ90



FOXTEL APPROVED

- * 90cm Offset Dish
- * LNB Arm with Support Stays
- * Suitable for KU Band
- * Foxtel Approved #F10096

Single LNBF 19BLNBF10.7SATKING



- * 10700 KU Offset LNBF
- * Dual Polarity
- * Input Frequency: 950 - 2050MHz
- * Noise: 0.6dB

Dual LNBF 19BLNBF5ATKINGDUAL



- * 10700 KU Offset LNBF
- * Dual Polarity, Dual Output
- * Input Frequency: 950 - 2050MHz
- * Noise: 0.6dB

Quad LNBF BC49164



FOXTEL APPROVED

- * 10700 KU Offset LNBF
- * Dual Polarity, Quad Output
- * Input Frequency: 950 - 2150MHz
- * Foxtel Approved #F30887

2 In 4 Out Multiswitch BC74279H

HLLS.
Antenna



FOXTEL APPROVED

- * 2 Input, 4 Output Multiswitch
- * Compact & Lightweight
- * Easy to Install
- * Foxtel Approved #F30521

2 In 8 Out Multiswitch BC74623H

HLLS.
Antenna



FOXTEL APPROVED

- * 2 Input, 8 Output Multiswitch
- * Compact & Lightweight
- * Easy to Install
- * Foxtel Approved #F30522

5 Wire Systems 5 Wire

DIGITEK



FOXTEL APPROVED


- * Limited Stocks Remaining
- * Replacement Parts Only
- * Please see Kingray Single Wire Systems

Kingray Single Wire MATV Systems

FOXTEL APPROVED



- * Full Range Available in Store
 - * Multi Stackers
 - * Splitters
 - * Active Taps
 - * Distribution Amplifiers
 - * Modulators
 - * Plus More
- * Design Services Also Available



CATEGORY 22 - LCD BRACKETS

Tilt, Swivel & Reach Bracket
22PB505



- * Suits 17 - 37" LCD Screens
- * Max Hole Pattern 200 x 200mm
- * Load Capacity 25KG
- * Arm Length 57 - 235mm

Tilt, Swivel & Reach Bracket
22PB510



- * Suits 17 - 37" LCD Screens
- * Max Hole Pattern 200 x 200mm
- * Load Capacity 25KG
- * Arm Length 72 - 395mm

Tilt, Swivel & Reach Bracket
22P141B



- * Suits 17 - 37" LCD Screens
- * Max Hole Pattern 200 x 200mm
- * Load Capacity 25KG
- * Arm Length 89 - 342mm

Tilt, Swivel & Reach Bracket
22PLB101EA



- * Suits 32 - 47" LCD Screens
- * Max Hole Pattern 400 x 400mm
- * Load Capacity 45KG
- * Arm Length 72 - 622mm

Tilt, Swivel & Reach Bracket
BC78199



- * Suits 23 - 55" LCD Screens
- * Max Hole Pattern 400 x 400mm
- * Load Capacity 30KG
- * Arm Length 46 - 400mm

Tilt, Swivel & Reach Bracket
BC78200



- * Suits 32 - 55" LCD Screens
- * Max Hole Pattern 400 x 400mm
- * Load Capacity 60KG
- * Arm Length 63 - 465mm

Tilt, Swivel & Reach Bracket
BC79588



- * Suits 40 - 65" LCD Screens
- * Max Hole Pattern 400 x 770mm
- * Load Capacity 60KG
- * Arm Length 99 - 500mm

Tilt, Swivel & Reach Bracket
BC85125



- * Suits 40 - 80" LCD Screens
- * Max Hole Pattern 400 x 600mm
- * Load Capacity 50KG
- * Arm Length 53 - 496mm

Tilt, Swivel & Reach Bracket
22PLB109B



- * Suits 32 - 60" LCD Screens
- * Max Hole Pattern 470 x 770mm
- * Load Capacity 80KG
- * Arm Length 115 - 665mm

Tilt, Swivel & Reach Bracket
22PLB110B



- * Suits 32 - 60" LCD Screens
- * Max Hole Pattern 470 x 875mm
- * Load Capacity 80KG
- * Arm Length 115 - 515mm

Ceiling LCD Bracket
22PLBCM44



- * Suits 23 - 55" LCD Screens
- * Max Hole Pattern 400 x 400mm
- * Load Capacity 50KG
- * Drop Distance 570 - 800mm

Small Slimline LCD Bracket
22LB40



- * Suits 17-37" LCD Screens
- * Max Hole Pattern 200 x 200mm
- * Load Capacity 80KG
- * Distance From Wall 12mm

CATEGORY 22 - LCD BRACKETS

Fixed LCD Bracket
22PB6




- * Suits 30 - 50" LCD Screens
- * Max Hole Pattern 550 x 750mm
- * Load Capacity 60KG
- * Distance From Wall 40mm

Fixed LCD Bracket
BC80455



- * Suits 40 - 65" LCD Screens
- * Max Hole Pattern 400 x 650mm
- * Load Capacity 50KG
- * Distance From Wall 28mm

Fixed LCD Bracket
22PB55



- * Suits 40 - 65" LCD Screens
- * Max Hole Pattern 400 x 650mm
- * Load Capacity 50KG
- * Distance From Wall 22mm

Fixed LCD Bracket
22PFIX900B



- * Suits 40 - 90" LCD Screens
- * Max Hole Pattern 450 x 800mm
- * Load Capacity 80KG
- * Distance From Wall 38mm

Tilt LCD Bracket
BC73525A



- * Suits 23 - 55" LCD Screens
- * Max Hole Pattern 300 x 500mm
- * Load Capacity 45KG
- * +/- 15 Degree Tilt

Tilt LCD Bracket
22PLB101



- * Suits 13 - 37" LCD Screens
- * Max Hole Pattern 200 x 400mm
- * Load Capacity 45KG
- * +/- 15 Degree Tilt

Tilt LCD Bracket
BC73975A



- * Suits 40 - 65" LCD Screens
- * Max Hole Pattern 400 x 650mm
- * Load Capacity 50KG
- * 0 - 12 Degree Tilt

Tilt LCD Bracket
BC78202



- * Suits 40 - 65" LCD Screens
- * Max Hole Pattern 400 x 650mm
- * Load Capacity 60KG
- * +/- 15 Degree Tilt

Tilt LCD Bracket
22PT4090B



- * Suits 40 - 90" LCD Screens
- * Max Hole Pattern 470 x 800mm
- * Load Capacity 80KG
- * +/- 15 Degree Tilt



SANUS

Range Available

- * LCD Mounts
- * Speaker Mounts
- * Projector Mounts
- * AV Cabinets
- * Cable Management
- * Sonos Mounts

CATEGORY 23/24 - DATA CABINETS

24 Port CAT6 Patch Panel

23MDPP246

DATATEK®



- * 19" Rack Mountable CAT6 Patch Panel
- * RCM Compliant
- * Colour Coded for T568A & T568B
- * Includes 1 Set of Cage Nuts

Patch Cable Management

24D1RUCMHR

DATATEK®



- * 5 Ring Cable Management System
- * 1RU 19" Rack Mountable
- * Light Weight Easy To Install & Remove
- * Powder Coated Metal

Patch Cable Management

24D1RUBST

DATATEK®



- * Cable Pass Through with Brush Strip
- * 1RU 19" Rack Mountable
- * Light Weight Easy To Install & Remove
- * Powder Coated Metal with Nylon Brush

Metal Blanking Strips

DATATEK®



- * Fills Gaps in 19" Data Cabinets
- * 24D1RUBL - 1RU Blanking Panel
- * 24D2RUBL - 2RU Blanking Panel
- * 24D3RUBL - 3RU Blanking Panel
- * 24D4RUBL - 4RU Blanking Panel

Data Cabinet Power Rail

24EH8PDU

DATATEK®



- * 8 Way Horizontal Power Rail
- * 1RU 19" Rack Mountable
- * Master On/Off Switch
- * 10 Amp, 220-250V, 2500W Max

Data Cabinet Cage Nuts

24DCNUT12

DATATEK®



- * Pack of 12 Cage Nuts
- * Includes Nuts, Screw Holders & Screws
- * Suitable for Patch Panels, Switches, etc
- * Available in Black Only

1RU Cantilever Shelves

DATATEK®



- * 24D1RUCS30 - Suits 300mm Deep Racks
- * 24D1RUCS45 - Suits 450mm Deep Racks
- * 1RU Mounting Height for 19" Data Cabinets
- * Heavy Duty Ventilated Shelf

2RU Cantilever Shelves

DATATEK®



- * 24D2RUCS30 - Suits 300mm Deep Racks
- * 24D2RUCS45 - Suits 450mm Deep Racks
- * 2RU Mounting Height for 19" Data Cabinets
- * Heavy Duty Ventilated Shelf

Fixed Data Cabinet Shelves

DATATEK®



- * 24DFS35 - 350mm Deep Fixed Shelf
- * 24DFS55 - 550mm Deep Fixed Shelf
- * Suitable for 19" Data Cabinets
- * Heavy Duty Ventilated Shelf

1RU Sliding Keyboard Tray

24D1USKBT

DATATEK®



- * Suitable for 19" Data Cabinets
- * Smooth, Slide-Out Mechanism
- * Easy to Install & Use
- * Heavy Duty Ventilated Shelf

19" Open Rack Frames

DATATEK®



- * 250 - 360mm Sliding Depth Feature
- * 24C2RHWF - 2RU Hinged Wall Frame
- * 24C4RHWF - 4RU Hinged Wall Frame
- * 24C6RHWF - 6RU Hinged Wall Frame

10" Mini Data Cabinet

DATATEK®



- * Includes Exhaust Fan & Lockable Door
- * 24F6RWM33F - 6RU Mini Wall Cabinet
- * 24F9RWM33F - 9RU Mini Wall Cabinet
- * Shelves Also Available (Sold Separately)

CATEGORY 24 - DATA CABINETS

Floor Standing Data Cabinets

FPS Series



Range

- * 24A18R66FPS - 18RU 19" Data Cabinet
- * 24A22R66FPS - 22RU 19" Data Cabinet
- * 24A27R66FPS - 27RU 19" Data Cabinet
- * 24A32R66FPS - 32RU 19" Data Cabinet
- * 24A37R66FPS - 37RU 19" Data Cabinet
- * 24A42R66FPS - 42RU 19" Data Cabinet
- * 24A45R66FPS - 45RU 19" Data Cabinet

Inclusions

- * Cooling Fans
- * 6 Outlet Power Rail
- * Fixed Shelf/Shelves

Features

- * Lockable Front Door, Back and Side Panels
- * Removeable Cable Entry Cover Plates
- * 600mm Deep Cabinet Design
- * Static Loading Capacity: 800kg
- * IP20 Protection Rating

Wall Mounted Data Cabinets

Standard Series



300mm Deep Range

- * 24B4RW63 - 4RU 19" Data Cabinet
- * 24B6RW63 - 6RU 19" Data Cabinet
- * 24B9RW63 - 9RU 19" Data Cabinet

450mm Deep Range

- * 24B6RW64 - 6RU 19" Data Cabinet
- * 24B9RW64 - 9RU 19" Data Cabinet
- * 24B12RW64 - 12RU 19" Data Cabinet

Features

- * Lockable Front Door, Back & Side Panels
- * Matched Key Locks
- * Removeable Cable Entry Cover Plates
- * IP20 Protection Rating
- * Simple & Easy Install



Wall Mounted Data Cabinets

FPS Series



Range

- * 24B6RW64FPS - 6RU 19" Data Cabinet
- * 24B9RW64FPS - 9RU 19" Data Cabinet
- * 24B12RW64FPS - 12RU 19" Data Cabinet
- * 24B15RW64FPS - 15RU 19" Data Cabinet
- * 24B18RW64FPS - 18RU 19" Data Cabinet
- * 24B18RW66FPS - 18RU 19" Data Cabinet - 600mm Deep Version

Inclusions

- * Cooling Fans
- * 6 Outlet Power Rail
- * Fixed Shelf

Features

- * Lockable Front Door, Back and Side Panels
- * Removeable Cable Entry Cover Plates
- * 450mm Deep Cabinet Design
- * IP20 Protection Rating
- * Simple & Easy Install

Wall Mounted Swing Frame Data Cabinets

FPS Series



Range

- * 24B4RWS66FPS - 4RU 19" Data Cabinet
- * 24B6RWS66FPS - 6RU 19" Data Cabinet
- * 24B9RWS66FPS - 9RU 19" Data Cabinet
- * 24B12RWS66FPS - 12RU 19" Data Cabinet
- * 24B18RWS66FPS - 18RU 19" Data Cabinet

Features

- * Swings Out From Wall For Extra Access
- * Lockable Front Door, Back and Side Panels
- * Removeable Cable Entry Cover Plates
- * 600mm Deep Cabinet Design
- * IP20 Protection Rating



Inclusions

- * Cooling Fans
- * 6 Outlet Power Rail
- * Fixed Shelf

CATEGORY 27 - METER BOXES

ACT/NSW Meter Box
27MB2424UA



DIGITEK

- * Standard ACT/NSW Meter Box
- * Dimensions 600 x 600 x 270mm
- * Includes Approved Panel & Loom
- * Individually Boxed to Protect Product

ACT/NSW Meter Box
27MB2424UA3



DIGITEK

- * Standard ACT/NSW Meter Box
- * Dimensions 600 x 600 x 330mm
- * Includes Approved Insulation Panel
- * Individually Boxed to Protect Product

ACT/NSW Meter Box
27MB2436UA



DIGITEK

- * Large ACT/NSW Meter Box
- * Dimensions 914 x 600 x 330mm
- * Includes Approved Insulation Panel
- * Individually Boxed to Protect Product

ACT/NSW Meter Box
27MB3636UA



DIGITEK

- * Extra Large ACT/NSW Meter Box
- * Dimensions 914 x 914 x 330mm
- * Includes Approved Insulation Panel
- * Individually Boxed to Protect Product

ACT/NSW Meter Box
27MB1212U



DIGITEK

- * 12" x 12" Metering Enclosure
- * Dimensions 342 x 330 x 270mm
- * Includes Approved Insulation Panel
- * Individually Boxed to Protect Product

ACT/NSW Meter Box
27MB1614U



DIGITEK

- * 16" x 14" Metering Enclosure
- * Dimensions 440 x 381 x 270mm
- * Includes Approved Insulation Panel
- * Individually Boxed to Protect Product

ACT/NSW Meter Box
27MB1818U



DIGITEK

- * 18" x 18" Metering Enclosure
- * Dimensions 484 x 482 x 270mm
- * Includes Approved Insulation Panel
- * Individually Boxed to Protect Product

ACT/NSW Panel & Surrounds
27MR2424UC



DIGITEK

- * 24" x 24" Metering Enclosure
- * Other Sizes Also Available
- * Includes Approved Insulation Panel
- * Individually Boxed to Protect Product

12 Pole Loom Box
27MA12



DIGITEK

- * 12 Pole Din Enclosure/Loom


Standard Meter Box Panel
27MP2424UH



DIGITEK

- * Approved Insulation Panel
- * AS1795 Type X Insulating Panel
- * Fits Digitek 600x600mm Meter Boxes
- * Sold Individually

Single Phase Temporary Meter Box
27MBTSG



DIGITEK

- * Includes Meter Box and Stand
- * All Approved Products
- * Fully Wired Ready to Go
- * Individually Boxed (2 Total)

3 Phase Temporary Meter Box
27MBTS3P



DIGITEK

- * Includes Meter Box and Stand
- * All Approved Products
- * Fully Wired Ready to Go
- * Individually Boxed (2 Total)

CATEGORY 28/29/30 - CCTV & SECURITY

NESS | HIKVISION | TIANDY

ENQUIRE AT YOUR LOCAL BRANCH FOR FULL DETAILS



WATCHGUARD | VIP VISION

32 For the full range visit us online: www.bitek.com.au

CATEGORY 32 - BATTERIES & TORCHES

Eveready Gold



- * AA & AAA 4 Packs Available
- * C Type 2 Packs Available
- * D Type 2 Packs Available
- * 9V 2 Packs Available

Energizer Max



- * AA & AAA 2/4 Packs Available
- * C Type 2 Packs Available
- * D Type 2 Packs Available
- * 9V 2 Packs Available

Energizer Max Plus



- * AA & AAA Multi-Size Packs Available
- * 12 Year Shelf Life
- * Energizers Longest Lasting Alkaline
- * In Device Leakage Protection

Energizer Industrial



- * AA & AAA Multi-Size Packs Available
- * C Type Batteries Available
- * D Type Batteries Available
- * 9V Batteries Available

Energizer Specialty



- * 2016/2025/2032 Button Batteries
- * A23/A27/A76 Batteries Available
- * Child Resistant Packaging
- * Lithium or Alkaline Depending on Model

Energizer Ultimate Lithium



- * AA & AAA 2/4 Packs Available
- * 20 Year Shelf Life
- * Peak Performance
- * Leak Resistant Construction

6 Volt Lantern Batteries



- * Eveready & Energizer Available
- * Trusted Brands
- * Perfect for Dolphin Torches

Dolphin 6V Torches



- * Available With or Without Battery
- * 200 Lumens, 200M Beam Distance
- * Waterproof & Impact Resistance
- * 3 Different Light Modes

Energizer Tactical 700 Torch 32CPMHT2L



- * Durable Aircraft Grade Aluminium
- * Rear Push Button Operation
- * 700 Max Lumen Light Output
- * Compact Size and Lightweight

VisionHD Ultra Performance 32EPMZH11



- * Durable Aircraft Grade Aluminium
- * Multiple Mode Operation
- * 1500 Lumen Max Light Output
- * Shatterproof Lens

Hard Case Pro Multi-Use Light 32CHCMU11



- * Versatile Hands-Free Compact Torch
- * Integrated Magnet for Easy Mounting
- * Pivoting Metal Clip for Belt/Bag/Etc
- * Durable and Water-Resistant

Vision HD Aluminium Torch 32CPMH32



- * Durable Aluminium Construction
- * Rear Push Button Operation
- * 270 Max Lumen Light Output
- * High Beam & Low Beam Modes

CATEGORY 33 - STORAGE SOLUTIONS

Small ABS Storage Case

33STS-xx

StorageTek



- * Available with Clear or Solid Lid
- * Compatible with Rola-Case
- * 20 Adjustable Compartments
- * All Compartment Dividers Included
- * 370 x 370 x 85mm (WxDxH)

Large ABS Storage Case

33STL-xx

StorageTek



- * Available with Clear or Solid Lid
- * Compatible with Rola-Case
- * 9 Adjustable Compartments
- * All Compartment Dividers Included
- * 370 x 370 x 130mm (WxDxH)

Storage Case Frames

33SFS2Sxxx

StorageTek



- * Available With or Without Blue Cases
- * Fits 2 x Small Storage Cases
- * Fully Assembled with Top Plate
- * 419 x 460 x 250mm (WxDxH)

Storage Case Frames

33SFS3S/33SFS3SA-BL

StorageTek



- * Available With or Without Blue Cases
- * Fits 3 x Small Storage Cases
- * Fully Assembled with Top Plate
- * 419 x 460 x 350mm (WxDxH)

Storage Case Frames

33SFS4S/33SFS4SA-BL

StorageTek



- * Available With or Without Blue Cases
- * Fits 4 x Small Storage Cases
- * Fully Assembled with Top Plate
- * 419 x 460 x 460mm (WxDxH)

Storage Case Frames

33SFS5S/33SFS5SA-BL

StorageTek



- * Available With or Without Cases
- * Fits 5 x Small Storage Cases
- * Fully Assembled with Top Plate
- * 419 x 460 x 571mm (WxDxH)

Storage Case Frames

33SFS2L/33SFS2LA-BL

StorageTek



- * Available With or Without Blue Cases
- * Fits 2 x Large Storage Cases
- * Fully Assembled with Top Plate
- * 419 x 460 x 350mm (WxDxH)

Storage Case Frames

33SFD2L7S/33SFD2L7SA-BL

StorageTek



- * Available With or Without Blue Cases
- * Fits 2xLarge & 7xSmall Storage Cases
- * Fully Assembled with Top Plate
- * 838 x 460 x 571mm (WxDxH)

Small Jobsite Tool Box


27SMTB

StorageTek



- * Heavy Duty 1.2mm Construction
- * Reinforced Lid
- * Weight Capacity: 45KG
- * 775 x 430 x 310mm (LxWxH)

StorageTek



Louvered Panel Range

- * 33SLPSS 457 x 457 (WxH)
- * 33SLPSM 457 x 914 (WxH)
- * 33SLPSL 457 x 1829 (WxH)
- * 33SLPWS 914 x 457 (WxH)
- * 33SLPWM 914 x 914 (WxH)
- * 33SLPWL 914 x 1829 (WxH)

Stackable Bin Range

- * 33SB1-xx 90 x 112 x 51mm (WxDxH)
 - * 33SB2-xx 105 x 162 x 62mm (WxDxH)
 - * 33SB3-xx 138 x 216 x 125mm (WxDxH)
 - * 33SB4-xx 205 x 276 x 168mm (WxDxH)
 - * 33SB5-xx 205 x 330 x 168mm (WxDxH)
 - * 33SB6-xx 410 x 276 x 168mm (WxDxH)
- Available in Yellow(YL), Red(RD) & Blue(BL)



Small/Large Site Boxes

27SB1942/27SB2448

StorageTek



- * Wheels Available Separately
- * Small Dimensions: 812x483x445 (WDH)
- * Large Dimensions: 1220x610x702 (WDH)
- * Heavy Duty Welded Steel Construction

CATEGORY 33 - STORAGE SOLUTIONS

Storage Cabinets

33SCS2S/33SCS2SA-BL

StorageTek



- * Available With or Without Blue Cases
- * Fits 2 x Small Storage Cases
- * Fully Assembled with Rubber Liner
- * 419 x 460 x 230mm (WxDxH)

Storage Cabinets

33SCS3S/33SCS3SA-BL

StorageTek



- * Available With or Without Blue Cases
- * Fits 3 x Small Storage Cases
- * Fully Assembled with Rubber Liner
- * 419 x 460 x 325mm (WxDxH)

Storage Cabinets

33SCS4S/33SCS4SA-BL

StorageTek



- * Available With or Without Blue Cases
- * Fits 4 x Small Storage Cases
- * Fully Assembled with Rubber Liner
- * 419 x 460 x 420mm (WxDxH)

Storage Cabinets

33SCS5S/33SCS5SA-BL

StorageTek



- * Available With or Without Blue Cases
- * Fits 5 x Small Storage Cases
- * Fully Assembled with Rubber Liner
- * 419 x 460 x 547mm (WxDxH)

Storage Cabinets

33SCS2L1S/33SCS2L1SA-BL

StorageTek



- * Available With or Without Blue Cases
- * Fits 2xLarge & 1xSmall Storage Cases
- * Fully Assembled with Rubber Liner
- * 419 x 460 x 420mm (WxDxH)

Storage Cabinets

33SCS2L2S/33SCS2L2SA-BL

StorageTek



- * Available With or Without Blue Cases
- * Fits 2xLarge & 2xSmall Storage Cases
- * Fully Assembled with Rubber Liner
- * 419 x 460 x 547mm (WxDxH)

Storage Cabinets

33SCS2L/33SCS2LA-BL

StorageTek



- * Available With or Without Blue Cases
- * Fits 2 x Large Storage Cases
- * Fully Assembled with Rubber Liner
- * 419 x 460 x 325mm (WxDxH)

Storage Cabinet/Trolley

33SCS7ST/33SCS7STA-BL

* Height 743mm
Without Wheels



- * Available With or Without Blue Cases
- * Fits 7 x Small Storage Cases
- * Fully Assembled with Rubber Liner
- * 419 x 460 x 1000mm (WxDxH)

Storage Cabinets Drawers

33SCSDRS/33SCSDRL

StorageTek



- * Drawers to Suit Storage Cabinets
- * Lockable & Internal Liner Included
- * 33SCSDRS - 91mm High
- * 33SCSDRL - 136mm High

Storage Cabinets With Drawers

StorageTek



Range

- * 33SC3SDR - Cabinet & 3 Small Drawers
- * 33SC4SDR - Cabinet & 4 Small Drawers
- * 33SC5SDR - Cabinet & 5 Small Drawers
- * 33SC7SDR - Cabinet & 7 Small Drawers
- * 33S2L1SDR - Cabinet & 2xL, 1xS Drawers
- * 33S2L2SDR - Cabinet & 2xL, 2xS Drawers

Storage Case & Cabinet Accessories

StorageTek



Range

- * 33SFSK - Frame Splice Kit
- * 33SCUAK - Cabinet Universal Adaptor Kit
- * 33SCVSK - Cabinet Vertical Stacking Kit
- * 33SWHEELS - Cabinet Trolley Wheels
- * 33SC3D/4D/5D/7D - Lockable Cabinet Doors

PART NUMBER INDEX

Sorted by Part Number		
Part Number	Category	Page
01ACD12L	Antennas	5
01ACD14L	Antennas	5
01ACLP34F/POLY	Antennas	5
01ACLP4/5	Antennas	4
01BUWX16L	Antennas	4
01BUWX18L	Antennas	4
01CUPA2LPOLY	Antennas	4
01DLPF3	Antennas	4
01DV304L	Antennas	4
01DV307L	Antennas	4
01DV310L	Antennas	4
02ADR59UBB3	Coax Cable	6
02BDRG6QBE	Coax Cable	6
02BDRG6QRW	Coax Cable	6
02BDRG6QRW1	Coax Cable	6
02CDRG11QR	Coax Cable	6
03B144B3-WH	SDS Cable	7
03B146B3-GY	SDS Cable	7
03C10516R1	SDS Cable	7
03C1716R1	SDS Cable	7
03C2420R1-BK	SDS Cable	7
03C6516R1	SDS Cable	7
03JCAT5EB-BL	SDS Cable	7
03JCAT6B-GY	SDS Cable	7
03JCAT6R3JF	SDS Cable	7
04AMENC01	Amplifiers	8
04AMENC02	Amplifiers	8
05A1FU3	Wall Plates	9
05A1FU33	Wall Plates	9
05A1FUD	Wall Plates	9
05A2FP	Wall Plates	9
05A2FU3	Wall Plates	9
05APFP	Wall Plates	9
05APFP	Wall Plates	9
05BC5B	Inserts	10
05BC5BBK	Inserts	10
05BC5R	Inserts	10
05BC5RBBK	Inserts	10
05BC6RV2	Inserts	10
05BC6RV2BK	Inserts	10
05BC6TV2	Inserts	10
05BC6TV2BK	Inserts	10
05BC6V2	Inserts	10
05BC6V2BK	Inserts	10
05BC7T	Inserts	10
05BC7TBK	Inserts	10
05BC8	Inserts	10
05BCFF3	Inserts	10
05BCFF3BK	Inserts	10
05BCFPS	Inserts	10
05BCFPSBK	Inserts	10
05BHFF3	Inserts	10

Part Number	Category	Page
05BHFP5	Inserts	10
05CRJ456J	Connectors	16
05CRJ45C5E	Inserts	10
05CRJ45C6	Inserts	10
05CRJ45C6A	Inserts	10
05DAWP01	Wall Plates	9
05DAWP01BK	Wall Plates	9
05DAWP02	Wall Plates	9
05DAWP02BK	Wall Plates	9
05DWP00BK	Wall Plates	9
05DWP00BK	Wall Plates	9
05DWP01	Wall Plates	9
05DWP01BK	Wall Plates	9
05DWP02	Wall Plates	9
05DWP02BK	Wall Plates	9
05DWP03	Wall Plates	9
05DWP03BK	Wall Plates	9
05DWP04	Wall Plates	9
05DWP04BK	Wall Plates	9
05DWP05	Wall Plates	9
05DWP05BK	Wall Plates	9
05DWP06	Wall Plates	9
05DWP06BK	Wall Plates	9
05DWPM	Wall Plates	9
05DWPMBK	Wall Plates	9
05DWPMDB	Wall Plates	9
05DWPMF	Wall Plates	9
05DWPMFBK	Wall Plates	9
05DWPMR	Wall Plates	9
05DWPMRBK	Wall Plates	9
05DWPMMS	Wall Plates	9
05DWPMMSBK	Wall Plates	9
06A18MQB	Patch Leads	11
06A18MQW	Patch Leads	11
06A318MQB	Patch Leads	11
06A318MQW	Patch Leads	11
06A33MQB	Patch Leads	11
06A33MQW	Patch Leads	11
06A3MQB	Patch Leads	11
06A3MQW	Patch Leads	11
06COPT1	Patch Leads	11
06COPT1-1.8	Patch Leads	11
06COPT1-10	Patch Leads	11
06COPT1-15	Patch Leads	11
06COPT1-2.5	Patch Leads	11
06COPT1-20	Patch Leads	11
06COPT1-3	Patch Leads	11
06COPT1-5	Patch Leads	11
06DC6PL0.5B	Patch Leads	11
06DC6PL1.0B	Patch Leads	11
06DC6PL10B	Patch Leads	11
06DC6PL15B	Patch Leads	11
06DC6PL2.0B	Patch Leads	11

Part Number	Category	Page
06DC6PL20B	Patch Leads	11
06DC6PL3.0B	Patch Leads	11
06DC6PL30B	Patch Leads	11
06DC6PL5.0B	Patch Leads	11
06HD500	Patch Leads	11
06HDAO10	Patch Leads	11
06HDAO15	Patch Leads	11
06HDAO20	Patch Leads	11
06HDAO30	Patch Leads	11
06HDAO50	Patch Leads	11
06HDF1.8	Patch Leads	11
06HDF3	Patch Leads	11
06HDF5	Patch Leads	11
06HDP0.5V2.0	Patch Leads	11
06HDP1.0V2.0	Patch Leads	11
06HDP10V2.0	Patch Leads	11
06HDP2.0VPC	Patch Leads	11
06HDP3.0VPC	Patch Leads	11
06HDP5.0VPC	Patch Leads	11
06HDRAS1.8	Patch Leads	11
06IUSBMF5M	Patch Leads	11
06IUSBMM5M	Patch Leads	11
06LSCAPC10.0	Patch Leads	11
06LSCAPC2.0	Patch Leads	11
06LSCAPC20.0	Patch Leads	11
06LSCAPC5.0	Patch Leads	11
06LSCAPC50.0	Patch Leads	11
07ADP10F	Mixed Product	12
07CCS101UV	Mixed Product	12
07CUVSJ	Mixed Product	12
08AF03	Mixed Product	12
08AF06	Mixed Product	12
08AF09	Mixed Product	12
08AF10	Mixed Product	12
08AF12	Mixed Product	12
08AF16	Mixed Product	12
08AF20	Mixed Product	12
08BMBT2UT	Mixed Product	12
09ABPFA	Mixed Product	12
09ABPFB	Mixed Product	12
09ABPFC	Mixed Product	12
09ABPFD	Mixed Product	12
09ABPFE	Mixed Product	12
09ALPF694MA	Mixed Product	12
09CDCBL2	Mixed Product	12
09CDCIT2	Mixed Product	12
09CDCPI	Mixed Product	12
09HDA-2 L WE	Power Boards	13
09HDA-2 R WE	Power Boards	13
09HDA-2 V WE	Power Boards	13
09HDA-2 V-S/WHT	Power Boards	13
09HHDEL-25M-1.5-YLW	Power Boards	13
09HHDEL-25M-YLW	Power Boards	13

PART NUMBER INDEX

Part Number	Category	Page
09HHDELHV-25M-ORG...	Power Boards	13
09HPB-10-HT3/BLK	Power Boards	13
09HPB-4 WE	Power Boards	13
09HPB-4 WE/2P	Power Boards	13
09HPB-4-IS/BLK	Power Boards	13
09HPB-4-IS/WHT	Power Boards	13
09HPB-6 WE	Power Boards	13
09HPB-6 WE/2P	Power Boards	13
09HPL3-10 L WE	Power Boards	13
09HPL3-15 L WE	Power Boards	13
09HPL3-2 L WE	Power Boards	13
09HPL3-20 L WE	Power Boards	13
09HPL3-3 L WE	Power Boards	13
09HPL3-5 L WE	Power Boards	13
09HPL3-7 L WE	Power Boards	13
09HPRSD-AUTO-1.0MM...	Power Boards	13
09HTEPOW01	Power Boards	13
10BSPF12	Splitters	14
10BSPF16	Splitters	14
10BSPF2	Splitters	14
10BSPF3	Splitters	14
10BSPF4	Splitters	14
10BSPF6	Splitters	14
10BSPF8	Splitters	14
10DCS202	Splitters	14
10DCS203	Splitters	14
10DCS204	Splitters	14
10DCS206	Splitters	14
10DCS208	Splitters	14
11A110	Couplers	15
11A112	Couplers	15
11A115	Couplers	15
11A120	Couplers	15
11A124	Couplers	15
11B210	Couplers	15
11B212	Couplers	15
11B215	Couplers	15
11B220	Couplers	15
11B224	Couplers	15
11B230	Couplers	15
11C410	Couplers	15
11C412	Couplers	15
11C415	Couplers	15
11C420	Couplers	15
11C424	Couplers	15
11D615	Couplers	15
11D620	Couplers	15
11D625	Couplers	15
11E109	Couplers	15
11E116	Couplers	15
11E120	Couplers	15
11E124	Couplers	15
11E127	Couplers	15

Part Number	Category	Page
11E130	Couplers	15
12A59F	Connectors	16
12A59FT	Connectors	16
12A59PF	Connectors	16
12A59PM	Connectors	16
12B6F	Connectors	16
12B6FC	Connectors	16
12B6FSLD	Connectors	16
12B6FSLQ	Connectors	16
12B6FT	Connectors	16
12B6PF	Connectors	16
12B6PM	Connectors	16
12B6RM	Connectors	16
12BP6C	Connectors	16
12BPC6CF	Connectors	16
12BPC6CLMG	Connectors	16
12C11RB	Connectors	16
12CFTER	Connectors	16
12CP11C	Connectors	16
12CP11F	Connectors	16
12CPC11CF	Connectors	16
12D58	Connectors	16
12D59	Connectors	16
12D59C	Connectors	16
12D59F	Connectors	16
12D59I	Connectors	16
12DN58	Connectors	16
12E6	Connectors	16
12E6I	Connectors	16
12IC68P8C/SLD	Connectors	16
12IDRJ458P8C	Connectors	16
12IPK3930	Connectors	16
13AFFF	Adaptors	17
13AFFFHR3	Adaptors	17
13AFFFS	Adaptors	17
13AFFM	Adaptors	17
13AFFPMRA	Adaptors	17
13AFMPF	Adaptors	17
13AFMPM	Adaptors	17
13AFMPMRA	Adaptors	17
13APFFF	Adaptors	17
13APFPMRA	Adaptors	17
13APMFF	Adaptors	17
13APPF	Adaptors	17
13APPM	Adaptors	17
13AQCF	Adaptors	17
13AQFFM	Adaptors	17
13ARAFF	Adaptors	17
13ARAFF3G	Adaptors	17
13BBNCBNCC	Adaptors	17
13BBNCFF	Adaptors	17
13BBNCMFF	Adaptors	17
13BBNCMPF	Adaptors	17

Part Number	Category	Page
13BBNCRCAF	Adaptors	17
13C2RCAFF	Adaptors	17
13C3RCAFF	Adaptors	17
13CRCAFF	Adaptors	17
13CRCAFFF	Adaptors	17
13CRCAFFM	Adaptors	17
13CRCAM2RCAF	Adaptors	17
13CRCAMBNCF	Adaptors	17
13CRCAMFF	Adaptors	17
13CRCAMFFRA	Adaptors	17
13CRCAMFRA	Adaptors	17
14ALARMGAL	Hardware	20
14ASMTW	Hardware	20
14ASMTWE	Hardware	20
14ATPM1.2	Hardware	21
14ATPM1.2HD	Hardware	21
14ATPM1.8	Hardware	21
14ATPM1.8HD	Hardware	21
14ATPM2.4	Hardware	21
14ATPM2.4HD	Hardware	21
14ATPMBKE	Hardware	21
14BGMGAL	Hardware	21
14BGMGAL2	Hardware	21
14BRMGAL	Hardware	21
14CGMGAL	Hardware	21
14DFWM	Masting	19
14FSBE	Masting	19
14FSBE1	Masting	19
14GM2032	Masting	18
14GM3038	Masting	18
14GTM10	Masting	18
14JGFS	Hardware	20
14JGFSB	Hardware	20
14JGWC	Masting	19
14JMFS	Hardware	20
14JSBC2	Masting	19
14JSE150-8	Masting	19
14JSE175-8	Masting	19
14KOVV	Masting	19
14KUBL	Masting	19
14KUBM	Masting	19
14KUNVGAL	Masting	19
14KVB	Masting	19
15AAT	Consumables	22
15AAT11	Consumables	22
15ADT	Consumables	22
15AITB	Consumables	22
15AITRAIN	Consumables	22
15AITWH	Consumables	22
15ASIL	Consumables	22
15BCT200B	Consumables	22
15BCT300B	Consumables	22
15C07MBLK	Consumables	22

PART NUMBER INDEX

Sorted by Part Number		
Part Number	Category	Page
15C14MBLK	Consumables	22
16A06	Tools	23
16A06A	Tools	23
16A11	Tools	23
16A318	Tools	23
16B611	Tools	23
16B611C	Tools	23
16BCT6	Tools	23
16BCTTRS	Tools	23
16BSTFT	Tools	23
16BXTF038	Tools	23
16CHDMIT	Testers & Meters	25
16GCT109	Testers & Meters	25
16GCT2690P	Testers & Meters	25
17CMRE	AV Equipment	24
17H12SPHDR	AV Equipment	24
17HAV2HDMI	AV Equipment	24
17HDAC	AV Equipment	24
17HDMI5	AV Equipment	24
17HEXT1	AV Equipment	24
17HEXT12PRO	AV Equipment	24
17HOPS12	AV Equipment	24
17HPHD1V4	AV Equipment	24
17HSCSPI2	AV Equipment	24
18ASF	Testers/Meters	25
18ASF-500	Testers/Meters	25
19A80	Satellite	26
19AJ90	Satellite	26
19BLNBF10.7SATKING	Satellite	26
19BLNBF10.7SATKINGD	Satellite	26
22LB40	LCD Brackets	27
22P141B	LCD Brackets	27
22PB505	LCD Brackets	27
22PB510	LCD Brackets	27
22PB55	LCD Brackets	28
22PB6	LCD Brackets	28
22PFIX900B	LCD Brackets	28
22PLB101	LCD Brackets	28
22PLB101EA	LCD Brackets	27
22PLB109B	LCD Brackets	27
22PLB110B	LCD Brackets	27
22PLBCM42	LCD Brackets	27
22PT4090B	LCD Brackets	28
23MDPP246	Data Cabinets	29
24A18R66FPS	Data Cabinets	30
24A22R66FPS	Data Cabinets	30
24A27R66FPS	Data Cabinets	30
24A32R66FPS	Data Cabinets	30
24A37R66FPS	Data Cabinets	30
24A42R66FPS	Data Cabinets	30
24A45R66FPS	Data Cabinets	30
24B12RW64	Data Cabinets	30

Part Number	Category	Page
24B12RW64FPS	Data Cabinets	30
24B12RWS66FPS	Data Cabinets	30
24B15RW64FPS	Data Cabinets	30
24B18RW64FPS	Data Cabinets	30
24B18RW66FPS	Data Cabinets	30
24B18RWS66FPS	Data Cabinets	30
24B4RW63	Data Cabinets	30
24B4RWS66FPS	Data Cabinets	30
24B6RW34FPS	Data Cabinets	30
24B6RW63	Data Cabinets	30
24B6RW64	Data Cabinets	30
24B6RWS66FPS	Data Cabinets	30
24B9RW63	Data Cabinets	30
24B9RW64	Data Cabinets	30
24B9RW64FPS	Data Cabinets	30
24B9RWS66FPS	Data Cabinets	30
24C2RHWF	Data Cabinets	29
24C4RHWF	Data Cabinets	29
24C4RHWF	Data Cabinets	29
24D1RUBL	Data Cabinets	29
24D1RUBST	Data Cabinets	29
24D1RUCMHR	Data Cabinets	29
24D1RUCS30	Data Cabinets	29
24D1RUCS45	Data Cabinets	29
24DIUSKBT	Data Cabinets	29
24D2RUBL	Data Cabinets	29
24D2RUCS30	Data Cabinets	29
24D2RUCS45	Data Cabinets	29
24D3RUBL	Data Cabinets	29
24D4RUBL	Data Cabinets	29
24DCNUT12	Data Cabinets	29
24DFS35	Data Cabinets	29
24DFS55	Data Cabinets	29
24EH8PDU	Data Cabinets	29
24F6RWM33F	Data Cabinets	29
24F9RWM33F	Data Cabinets	29
27MA12	Meter Boxes	31
27MB1212U	Meter Boxes	31
27MB1614U	Meter Boxes	31
27MB1818U	Meter Boxes	31
27MB2424UA	Meter Boxes	31
27MB2424UA3	Meter Boxes	31
27MB2436UA	Meter Boxes	31
27MB3636UA	Meter Boxes	31
27MBTS3P	Meter Boxes	31
27MBTSG	Meter Boxes	31
27MP2424UH	Meter Boxes	31
27MR2424UC	Meter Boxes	31
27SB1942	Storage Solutions	34
27SB2448	Storage Solutions	34
27SMTB	Storage Solutions	34
32CHCMU11	Batteries/Torches	33
32CPMHH32	Batteries/Torches	33


Part Number	Category	Page
32CPMHT2L	Batteries/Torches	33
32EPMZH611	Batteries/Torches	33
33SB1-BL	Storage Solutions	34
33SB1-RD	Storage Solutions	34
33SB1-YL	Storage Solutions	34
33SB2-BL	Storage Solutions	34
33SB2-RD	Storage Solutions	34
33SB2-YL	Storage Solutions	34
33SB3-BL	Storage Solutions	34
33SB3-RD	Storage Solutions	34
33SB3-YL	Storage Solutions	34
33SB4-BL	Storage Solutions	34
33SB4-RD	Storage Solutions	34
33SB4-YL	Storage Solutions	34
33SB5-BL	Storage Solutions	34
33SB5-RD	Storage Solutions	34
33SB5-YL	Storage Solutions	34
33SB6-BL	Storage Solutions	34
33SB6-RD	Storage Solutions	34
33SB6-YL	Storage Solutions	34
33SC2L1SDR	Storage Solutions	35
33SC2L2SDR	Storage Solutions	35
33SC3D	Storage Solutions	35
33SC3SDR	Storage Solutions	35
33SC4D	Storage Solutions	35
33SC4SDR	Storage Solutions	35
33SC5D	Storage Solutions	35
33SC5D	Storage Solutions	35
33SC5SDR	Storage Solutions	35
33SC7D	Storage Solutions	35
33SC7SDR	Storage Solutions	35
33SCS2L	Storage Solutions	35
33SCS2L1S	Storage Solutions	35
33SCS2L1SA-BL	Storage Solutions	35
33SCS2L2S	Storage Solutions	35
33SCS2L2SA-BL	Storage Solutions	35
33SCS2LA-BL	Storage Solutions	35
33SCS2S	Storage Solutions	35
33SCS2SA-BL	Storage Solutions	35
33SCS3S	Storage Solutions	35
33SCS3SA-BL	Storage Solutions	35
33SCS4S	Storage Solutions	35
33SCS4SA-BL	Storage Solutions	35
33SCS5S	Storage Solutions	35
33SCS5SA-BL	Storage Solutions	35
33SCS7ST	Storage Solutions	35
33SCS7STA-BL	Storage Solutions	35
33SCSDRL	Storage Solutions	35
33SCSDRS	Storage Solutions	35
33SCUAK	Storage Solutions	35
33SCVSK	Storage Solutions	35
33SFD2L7S	Storage Solutions	34
33SFD2L7SA-BL	Storage Solutions	34

PART NUMBER INDEX

Part Number	Category	Page
33SFK	Storage Solutions	35
33SFS2L	Storage Solutions	34
33SFS2LA-BL	Storage Solutions	34
33SFS3S	Storage Solutions	34
33SFS3SA-BL	Storage Solutions	34
33SFS4S	Storage Solutions	34
33SFS4SA-BL	Storage Solutions	34
33SFS5S	Storage Solutions	34
33SFS5SA-BL	Storage Solutions	34
33SLPL	Storage Solutions	34
33SLPM	Storage Solutions	34
33SLPSS	Storage Solutions	34
33SLPWM	Storage Solutions	34
33SLPWS	Storage Solutions	34
33SLPWL	Storage Solutions	34
33STL-BK	Storage Solutions	34
33STL-BL	Storage Solutions	34
33STL-GY	Storage Solutions	34
33STL-RD	Storage Solutions	34
33STS-BK	Storage Solutions	34
33STS-BL	Storage Solutions	34
33STS-GY	Storage Solutions	34
33STS-RD	Storage Solutions	34
33SWHEELS	Storage Solutions	35
BC14302	Connectors	16
BC14302B	Connectors	16
BC15164S	Splitters	14
BC15166S	Splitters	14
BC15254S	Splitters	14
BC15482S	Splitters	14
BC15484S	Splitters	14
BC2090	Connectors	16
BC2090B	Connectors	16
BC2092B	Connectors	16
BC2092B	Connectors	16
BC2094	Connectors	16
BC286	Masting	19
BC2880	Hardware	21
BC2884	Hardware	21
BC294	Masting	19
BC42	Consumables	22
BC43	Consumables	22
BC46034	Coax Cable	6
BC49164	Satellite	26
BC602762	Masting	18
BC602826	Masting	18
BC602922	Masting	18
BC602930	Masting	18
BC602948	Masting	18
BC602972	Masting	18
BC71502	Coax Cable	6
BC7156B	Connectors	16
BC7157	Connectors	16

Part Number	Category	Page
BC7157B	Connectors	16
BC71588B	Tools	23
BC71774	Testers & Meters	25
BC72483A	Connectors	16
BC73525A	LCD Brackets	28
BC73975A	LCD Brackets	28
BC74279H	Satellite	26
BC74610	SDS Cable	7
BC74611	SDS Cable	7
BC74612	SDS Cable	7
BC74623H	Satellite	26
BC75368	Splitters	14
BC75369	Splitters	14
BC78199	LCD Brackets	27
BC78200	LCD Brackets	27
BC78202	LCD Brackets	28
BC79588	LCD Brackets	27
BC80455	LCD Brackets	28
BC80490	Connectors	16
BC80490B	Connectors	16
BC85084	Coax Cable	6
BC85085	Coax Cable	6
BC85087	Coax Cable	6
BC85120	Coax Cable	6
BC85125	LCD Brackets	27
BC85126	Masting	19
BC85127	Patch Leads	11
BC85128	Patch Leads	11
BC85129	Patch Leads	11
BC85130	Patch Leads	11
BC85138	Patch Leads	11
BC85203	Coax Cable	6
BC85204	Coax Cable	6
BC85205	Coax Cable	6
BC85206	Coax Cable	6
BC85207	Coax Cable	6
BC85208	Coax Cable	6
BC85210	Coax Cable	6
BC85211	Coax Cable	6
BC85218	Testers & Meters	25
BC85219	Testers & Meters	25
BC85220	Testers & Meters	25
BC88095	Connectors	16
BC88097	Connectors	16
BC88181	Tools	23
BC89237F	Connectors	16
FB156A	Masting	18
FB164A	Masting	18
FB172A	Masting	18
FB180A	Masting	18
FB50A	Masting	18
FB602392	Hardware	20
FB602406	Hardware	21

Part Number	Category	Page
FB602498	Masting	18
FB602770	Masting	18
FB603004	Hardware	21
FB603298	Hardware	21
FB603684	Hardware	20
FB606366	Hardware	20
FB606374	Hardware	20
FB606648A	Hardware	20
FB607042A	Hardware	20
FB607058	Hardware	20
FB607070	Masting	19
FB607162	Hardware	21
FB607163	Hardware	21
FB607237A	Hardware	21
FB607238A	Hardware	21
FB607241	Masting	18
FB607292	Hardware	21
FB608007A	Antennas	4
FB608008A	Antennas	4
FB608025-4G	Antennas	4
FB608026-4G	Antennas	4
FB608575	Antennas	5
FB608578-4G	Antennas	5
FB608580	Antennas	5
FB608581	Antennas	5
FB608582-4G	Antennas	5
FB608600	Antennas	5
FB608601	Antennas	5
FB608605-4G	Antennas	5
FB68A	Masting	18
FB76A	Masting	18
FB84A	Masting	18
FB901222	Masting	19
FB901310	Masting	18
FB901706	Masting	18
FB902038	Masting	19
FB902048	Masting	19
FB902056	Masting	19
FB902064	Masting	19
FB902072	Masting	19
FB902080	Masting	19
FB902098	Masting	19
FB902110	Masting	19
FB902178	Masting	18
FB902186	Masting	18
FB902194	Masting	18
FB902224	Masting	18
FB902240	Masting	18
FB902312	Masting	18
FC658002C	Amplifiers	8
FC658233C	Amplifiers	8
FC658261C	Amplifiers	8
FC658274A	Amplifiers	8



The Gold Standard

Certified Australian Made and Owned
and Now With A Lifetime Warranty

Tru-Spec | Tru-Max | Tru-Band
Hills Antenna Tru-Range



OUR BRANDS

